

Job Name: 25-3579 - Lebanon Rd Clarks Run Trunk Sewer Ph 2
 Job Location: Danville, KY
 Contractor: Hubert Excavating & Contracting

Plant: 100

4/1/2026 1:19:13 PM

Tech: J. Horsley

PC: C. Goff



Structure ID: MH A3

P4 MH048RS36S

MH RISER w/COATING T/G



P6)	24" - CASTING HEIGHT - 7"	0 lb
P5)	48" - ECC CONE w/ 24" HOLE, w/Coating F/G - 30"	1961 lb
P4)	48" - MH RISER w/COATING T/G - 36"	2515 lb
P3)	48" - MH RISER w/COATING T/G - 48"	3353 lb
P2)	60" - MH Trans. Slab - 48" Hole ECC, w/Coating T/G - 15"	1928 lb
P1)	60" - MH BASE w/FLANGE (08F/07EF) w/Coating T/n - 70"	10274 lb
1)	JOINT WRAP - 12" WD x 060" MAC WRAP	0 lb
1)	60" - MH INVERT CHANNEL - FULL HEIGHT	2692 lb
1)	SPECIAL EXTERNAL COATING - Carboline 300M	0 lb
3)	JOINT WRAP - 12" WD x 048" MAC WRAP	0 lb
1)	SECONDARY POUR - Extended Flange	0 lb
1)	60" - Conseal CS-102 1.00" (Double)	0 lb
3)	48" - Conseal CS-102 1.00" (Double)	0 lb
2)	A-Lok - 1040	2 lb
16)	MH Step ML-10-TDS-NCR - 10"	0 lb
	315.52 SqFt) Carboline Bitumastic 300M [EXT]	0 lb
	Structure Total:	22726 lb

Structure Notes:
 1. PER ASTM C-478 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: PER ASTM A615
 4. CARBOLINE 300M EXTERIOR COATING REQUIRED
 5. STEPS AT 90 DEGREES
 6. HOE MC-375 FRAME & COVER "SANITARY" SUPPLIED BY OTHERS


Rim: 904' Rim to Invert: 16.995' Slack: 0.155" Sump: 2.215" Step Position: 90°

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext): Carboline Bitumastic 300M	Seam Up: Tongue Seam Dn: Groove	Wall Thickness: 5" Floor Height: 0"	Height (Int): 36" Height (Ext): 36"	Weight (Net): 2515 lb Volume (Net): 0.64cu.yd
--	------------------------------------	--	--	--

Job Number:

25-3579

Job Name:

Lebanon Rd Clarks Run Trunk Sewer
Ph 2

Structure:

MH A3

Note:

This Structure Is To Receive An
External Coating of Carboline 300M
(Supplied By iCast)