



Job Name: 25-3579 - Lebanon Rd Clarks Run Trunk Sewer Ph 2					Plant: 100		Tech: J. Horsley				
Job Location: Danville, KY					8/21/2026 1:12:55 PM		PC: C. Goff				
Contractor: Hubert Excavating & Contracting											
Structure ID: MH F1											
P2		MH048RS24S									
MH RISER w/COATING T/G											
P4) 24" - CASTING HEIGHT - 7"					0 lb		Structure Notes: 1. PER ASTM C478 SPECIFICATIONS. 2. CONCRETE = 4,000 PSI AT 28 DAYS. 3. CASTING BY OTHERS (HOE WT-375 SAN. F/C). 4. ALL PIECES TO HAVE EXTERIOR COATING (CARBOLINE BITUMASTIC 300M). REINFORCING PER ASTM A615 (GRADE 60). - CONE (As .12) - RISER/WALLS (As .12) - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.				
P3) 48" - ECC CONE w/ 24" HOLE, w/Coating F/G - 30"					1961 lb						
P2) 48" - MH RISER w/COATING T/G - 24"					1677 lb						
P1) 48" - MH BASE w/FLANGE (08F/08EF) w/Coating T/n - 31"					4822 lb						
1) 48" - MH INVERT CHANNEL - FULL HEIGHT					1440 lb						
1) JOINT WRAP - 12" WD x 048" MAC WRAP					0 lb						
1) SPECIAL EXTERNAL COATING					0 lb						
2) 48" - Conseal CS-102 1.00" (Double)					0 lb						
1) Z-Lok - C107-15					1 lb						
1) Kor-N-Seal2 - S206-18L					6 lb						
7) MH Step ML-10-TDS-NCR - 10"					0 lb						
114.94 SqFt) Carboline Bitumastic 300M [EXT]					0 lb						
Structure Total:					9907 lb						
Rim: 906.46' Rim to Invert: 7.56' Slack: 0.72" Sump: 2" Step Position: 92°											
Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (_)	Offset	
Invert 1											
Invert 2											
Invert 3											
Invert 4											
Invert 5											
Invert 6											
Invert 7											
Invert 8											
RIGHT-SIDE UP VIEW (int. dimensions)											
											
INSIDE WALL DIMENSIONS											
											
Coating (Int): Coating (Ext): Carboline Bitumastic 300M			Seam Up: Tongue Seam Dn: Groove		Wall Thickness: 5" Floor Height: 0"		Height (Int): 24" Height (Ext): 24"		Weight (Net): 1677 lb Volume (Net): 0.43cu.yd		

Job Number:

25-3579

Job Name:

Lebanon Rd Clarks Run Trunk Sewer Ph 2

Structure:

MH F1

Note:

This structure is to receive an external coating of carbolite 300M (supplied by ICAST)