


THIS DRAWING IS INTENDED TO BE PRINTED IN COLOR.

GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: #5 BAR @ 8" O.C. E.W.
PER ASTM A615. (GRADE 60).
4. WEIGHT: 11,135 LBS
5. DOUBLE ROLL CS-102 JOINT SEALANT.



TOP VIEW



SIDE VIEW

PRODUCTION WORK ORDER		PRODUCT I.D.: BX072072-06SRVF	DESCRIPTION: 72" X 72" X 71" TALL BOX RISER	
	QUALITY CONTROL CHECKLIST ☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ HOLE LOCATION CORRECT. ☐ REINFORCING CORRECT. ☐ FINISH ON SLAB SURFACE UNIFORM. ☐ OUTSIDE TOP EDGE TROWELLED. ☐ FLAT BOTTOM.	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CUMBERLAND VALLEY CONSTRUCTORS	
		PLANT: BEAVER DAM, KY.	PROJECT: RESERVOIR REHABILITATION	
		WEIGHT: 11,153 LBS	STRUCTURE: VAULT 6 (MILLS RD. VAULT)	
		TOP SECTION JOINT: FLAT	QUOTE/SALES ORDER NO: 25-4238	
		BASE SECTION JOINT: FLAT	PC: A. CHAMBERS	DRAWING: S. FELLETTTER
		QC CHECK INITIALS:	DATE: 09/10/26	SCALE: NTS PG. 1 of 1