

Job Name: 25-4239 - CMS Material
 Job Location: Marion, KY
 Contractor: Ainsworth Land Development, LLC

Plant: 100
 11/25/2025 5:12:36 PM

Tech: J. Horsley - F
 PC: T. Lewis



Structure ID: 2-54239

P1 BX3636-08R12

BOX RISER 8inW (FT/FB) F/F

P1) 36" x 36" - BOX RISER 8inW (FT/FB) F/F - 12"
 1) 36" x 36" - Conseal CS-102 1.00"

1418 lb
 0 lb
 Structure Total: 1418 lb

Structure Notes:
 1. PER ASTM C913 SPECIFICATIONS.
 2. CONCRETE = 4,000 PSI AT 28 DAYS.
 3. NO STEPS AND NO INVERT CHANNEL.


 REINFORCING PER ASTM A615 (GRADE 60).
 - WALLS (As .31) #5 BARS AT 12" C.C.E.W.

Rim: 1' Rim to Invert: 0' Slack: 0" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (L)	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

**BLANK RISER
 WITH FLAT TOP /BOTTOM**



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: Flat

Wall Thickness: 8"
 Floor Height: 0"

Height (Int): 12"
 Height (Ext): 12"

Weight (Net): 1418 lb
 Volume (Net): 0.36cu.yd