Job Name: 25-4245 - KYTC Marion Co Call 104 (251015) Job Location: Lebanon, KY Contractor: Rame Contracting LLC	Plant: 100	Tech:	J. Horsley - A
	12/29/2025 11:42:08 AM	PC:	Celina Goff

Structure ID: 9-54245 8

P1 HWSBO18 **18" - SLOPED BOX OUTLET TYPE 1 F/F**



18"ø TO 36"ø STEPPED HOLE FORMER FOR 18"ø PIPE 18"ø TO BE FLUSH WITH FLOOR.

3 EA. CONAC 4CA14 ANCHORS FOR PLANT & FIELD HANDLING.

SLOTS AS REQUIRED FOR STRUCTURAL STEEL GRATES (NOT SHOWN) AS SUPPLIED BY BOTTOMS ENGINEERING OR J.R. HOE & SONS.





NOTES:
1. CONCRETE KYTC APPROVED.
2. REINFORCING #5 BAR @ 12" C/C E.W.-GRADE 60.
3. 1 WITH 2" CONCRETE COVER MINIMUM.
4. REINFORCING BARS TO BE TACK WELDED OR TIED.
5. PIPE AND LIFTING ANCHOR POCKETS TO BE GROUTED WITH KYTC APPROVED NON-SHRINK GROUT.
6. DRAWING TO BE USED IN CONJUNCTION WITH KYTC STD. DRAWINGS RDW-100-06 & RDW-101-06 AND THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.
7. CHAMFER ON ALL EXPOSED EDGES.
8. PROVIDED STEPPED HOLE SIZED AS PER O.D. OF PIPE + 2"-4".

PRODUCTION WORK ORDER

QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ STEPPED HF CORRECT SIZE.
- ☐ REINFORCING CORRECT.
- ☐ SLOTS INSTALLED FOR GRATES.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT I.D.: HWSBO18	DESCRIPTION: KYTC 18"ø SLOPED BOX OUTLET TYPE 1
PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: ??
PLANT: BEAVER DAM, KY.	PROJECT: ??
WEIGHT: 4,800 LBS.	STRUCTURE ID.: ??
TOP SECTION JOINT: N/A	QUOTE/SALES ORDER NO: ??
BASE SECTION JOINT: N/A	P.C.: T. SEKULA / DRAWING: N. RICHARDS
QC CHECK INITIALS:	DATE: 11/11/22 / SCALE: NTS / PG. 1 of 1

THIS DRAWING IS THE PROPERTY OF INFRASTRUCTURE PRECAST, INC. ANY USE OR DUPLICATION OF THIS DRAWING WITHOUT PRIOR AUTHORIZATION IS STRICTLY PROHIBITED.