

Job Name: 25-4261 - Midsummer Street Extension
 Job Location: Bowling Green, KY 42101
 Contractor: Scott & Ritter, Inc.

Plant: 100

Tech: J. Horsley - F

1/29/2026 3:36:51 PM

PC: C. Goff



Structure ID: CBI A

P1 MH048BAVF

MH BASE Custom Ht F/n

- P3) 24" x 36" - CASTING HEIGHT - 6.5"
- P2) 48" - MH FLAT TOP w/24"x36" Hole F/F - 7"
- P1) 48" - MH BASE Custom Ht F/n - 25"
- 1) 48" - Conseal CS-102 1.00"
- 1) 24" x 36" - Conseal CS-102 1.00"
- 1) Hole - 20

0 lb
 1044 lb
 2941 lb
 0 lb
 0 lb
 0 lb

 3986 lb

Structure Total: 3986 lb



- Structure Notes:**
1. PER ASTM C-478 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: PER ASTM A615
 4. NO STORM INVERT
 5. NO STEPS
 6. JBS 3080 FRAME, GRATE, & CURB HOOD SUPPLIED BY OTHERS

Rim: 522.79' Rim to Invert: 3.25' Slack: 0.5" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (L)	Offset
Invert 1	519.54'	0°	0"	15" HP STORM	17.7"	Hole 20	20"	20.629"	-1.3"	0"
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: n/a

Wall Thickness: 5"
 Floor Height: 6"

Height (Int): 25"
 Height (Ext): 31"

Weight (Net): 2941 lb
 Volume (Net): 0.75cu.yd