

Job Name: 25-4299 - Seneca High School
Job Location: Louisville, KY
Contractor: Dan Cristiani Excavating Co. Inc.

Plant: 100
6/30/2026 1:45:02 PM

Tech: J. Horsley
PC: J. Jarvis



Structure ID: A10 Top Slab Remake

P1 BX036060-08LD06-S

CB FLAT TOP 8"W w/24"x36" HOLE


P2) 24" x 36" - CASTING HEIGHT - 6"
P1) 36" x 60" - CB FLAT TOP 8"W w/24"x36" HOLE - 6"
1) SECONDARY POUR
1) 24" x 36" - Conseal CS-102 1.00"

Structure Total:


0 lb
1555 lb
0 lb
0 lb

1555 lb


Structure Notes:
1. PER LOUISVILLE MSD / ASTM C-913 SPECIFICATIONS
2. CONCRETE: 4,000 PSI AT 28 DAYS
3. REINFORCEMENT:
- FLAT LID #5 BAR @ 6" C.C. E.W. (GRADE 60)
- BASE: #5 BAR @ 12" C.C. E.W. (GRADE 60)
4. NO STORM INVERT
5. NO STEPS
6. HOE 470 FRAME, GRATE, & CURB HOOD SUPPLIED BY OTHERS



PLAN VIEW
(RIGHT SIDE UP)



FRONT VIEW
(RIGHT SIDE UP)



SIDE VIEW
(RIGHT SIDE UP)

Coating (Int):
Coating (Ext):

Seam Up: Flat
Seam Dn: Flat

Wall Thickness: 8"

Height (Ext): 6"

Weight (Net): 1555 lb
Volume (Net): 0.4cu.yd