

Job Name: 25-4299 - Seneca High School
Job Location: Louisville, KY
Contractor: Dan Cristiani Excavating Co. Inc.

Plant: 100

7/17/2026 12:08:25 PM

Tech: J. Coppage

PC: E. Bradley



Structure ID: A13 Top Slab Remake

P1 MH048LD12-2424 LOUMSD



MH FLAT TOP w/24"x24" Hole LOU-MSD

P2) 24" x 24" - CASTING HEIGHT - 4"
P1) 48" - MH FLAT TOP w/24"x24" Hole LOU-MSD - 12"
1) 24" x 24" - Conseal CS-102 1.00"

Structure Total:

0 lb
1500 lb
0 lb
1500 lb

Structure Notes:
1. PER LOUISVILLE MSD / ASTM C-478
SPECIFICATIONS
2. CONCRETE: 4,000 PSI AT 28 DAYS
3. REINFORCEMENT:
- FLAT LID #6 BAR @ 4" C.C. E.W. (GRADE 60)
4. (JR HOE HOE-280T PROVIDED BY OTHERS)



Coating (Int):
Coating (Ext):

Seam Up: Flat
Seam Dn: Groove

Wall Thickness: 5"

Height (Ext): 12"

Weight (Net): 1500 lb
Volume (Net): 0.37cu.yd