



THIS DRAWING IS INTENDED TO BE PRINTED IN COLOR.

GENERAL NOTES:

1. MANUFACTURED TO ASTM C-478 (LATEST REVISION).
2. CONCRETE 5,000 PSI AT 28 DAYS.
3. REINFORCING: TOP MAT #4 @ 18" O.C. E.W.
 BOTTOM MAT #4 @ 9" O.C. E.W.
 (GRADE 60)



PRODUCTION WORK ORDER		PRODUCT I.D.: MH072LD15-30ECC	DESCRIPTION: 72"ø TOP SLAB, 15" HEIGHT W/ ø30" OPENING	
	QUALITY CONTROL CHECKLIST	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CONTECH ENGINEERED SOLUTIONS LLC	
	<input type="checkbox"/> ALL DIMENSIONS CORRECT.	PLANT: BEAVER DAM, KY.	PROJECT: 807890 1520 HAMPTON STREET	
	<input type="checkbox"/> LIFTING ANCHORS INSTALLED.	WEIGHT: 4,661 LBS.	STRUCTURE: 10-CS-6	
	<input type="checkbox"/> OPENING LOCATION CORRECT.	TOP SECTION JOINT: N/A	QUOTE/SALES ORDER NO: 25-4301	
	<input type="checkbox"/> REINFORCING CORRECT.	BASE SECTION JOINT: GROOVE	PC: T. SEKULA	DRAWING: J. COPPAGE
<input type="checkbox"/> FLOAT FINISH ON SLAB SURFACE.	QC CHECK INITIALS:	DATE: 10/29/25	SCALE: NTS	PG. 1 of 1
<input type="checkbox"/> OUTSIDE TOP EDGE TROWELLED.				
<input type="checkbox"/> JOINT INSTALLED.				