




THIS DRAWING IS INTENDED TO BE PRINTED IN COLOR.



NOTES:

1. MANUFACTURED TO ASTM C-478 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS.
3. REINFORCING: #5 BAR @ 6" O.C. E.W. (GRADE 60).

PRODUCTION WORK ORDER		PRODUCT I.D.: MH036LD10	DESCRIPTION: 36" ϕ X 10" MH TOP SLAB 24" ϕ CONCENTRIC		
	QUALITY CONTROL CHECKLIST	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: FRANKLIN BOE C/O LOUISVILLE PAVING		
	<input type="checkbox"/> ALL DIMENSIONS CORRECT.	PLANT: BEAVER DAM, KY.	PROJECT: ELKHORN RISER & MANHOLE		
	<input type="checkbox"/> LIFTERS INSTALLED.	WEIGHT: 896 LBS.	STRUCTURE: 3-54307B		
	<input type="checkbox"/> HOLE LOCATION CORRECT.	TOP SECTION JOINT: N/A	QUOTE/SALES ORDER NO: 25-4307		
	<input type="checkbox"/> REINFORCING CORRECT.	BASE SECTION JOINT: TONGUE	PC: J. JARVIS	DRAWING: J. COPPAGE	
	<input type="checkbox"/> FINISH ON SLAB SURFACE UNIFORM.	QC CHECK INITIALS:	DATE: 11/10/25	SCALE: NTS	PG. 1 of 1
<input type="checkbox"/> OUTSIDE TOP EDGE TROWELLED.					
<input type="checkbox"/> CORRECT JOINT INSTALLED.					