

Structure ID: CB8

P1 MH048BA54

MH BASE Custom Ht T/n



P3) 32" x 32" - CASTING HEIGHT - 3" P2) 48" - MH FLAT TOP w/32"x32" Hole F/G - 12" P1) 48" - MH BASE Custom Ht T/n - 54" 1) 48" - Conseal CS-102 1.00" 1) 32" x 32" - Conseal CS-102 1.00" 1) Hole - 24 1) Hole - 26 5) MH Step ML-10-TDS-NCR - 10"	0 lb 1629 lb 4672 lb 0 lb 0 lb 0 lb 0 lb 0 lb 0 lb 0 lb 6301 lb	Structure Notes: 1. PER ASTM C-478 SPECIFICATIONS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT: PER ASTM A615 4. NO INVERT CHANNEL 5. CASTING SUPPLIED BY OTHERS (HOE 595 FRAME & GRATE)
Structure Total:		

Rim: 704.7' Rim to Invert: 5.78' Slack: 0.36" Sump: 0" Step Position: 240°


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	698.92'	0°	0"	18" HDPE	21.2"	Hole 24	24"	25.133"	-1.6"	0"
Invert 2	698.92'	120°	60.737"	18" RCP B WALL	23"	Hole 26	26"	27.476"	-2.5"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimenions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: n/a	Wall Thickness: 5" Floor Height: 6"	Height (Int): 54" Height (Ext): 60"	Weight (Net): 4672 lb Volume (Net): 1.19cu.yd
----------------------------------	---------------------------------	--	--	--