



**Structure ID: HW 8 Rev**

**P1 HWPC2438**

**38" x 24" - PIPE CULVERT HEADWALL (ELL.RCP) F/F**

DIMENSIONS									
PIPE #	A	B	C	D	E	F	G	H	HEIGHT
24x38 ERCP	4'-6"	8'-0"	4'-0"	1'-6"	5'-0"	34"x48" ELLP	8'-0"	3'-0"	8,820 lbs.

  

**GENERAL NOTES:**

- THE FOLLOWING STANDARD SPECIFICATIONS APPLY:  
 - REINFORCING-B11.02, Structure-710.03.01,  
 - TACK WELDING-606.03.04
- MINIMUM 2" CONCRETE COVER ON REBAR.
- CONCRETE-4500 PS @ 28 DAYS.  
 WITH AIR ENTRAINMENT.
- TO BE USED IN CONJUNCTION WITH KOCH DRAWING RCH-110-02 & RCH-220-02.
- 3/4" CHAMFER ON ALL EXPOSED EDGES.
- REINFORCING: #5 @ 12" C/C E.W. TYPICAL.

  

(PLAN VIEW)

(ELEVATION A-A)

  

(ELEVATION B-B)

ISOMETRIC VIEW

  

<p>PRODUCT I.D.: HWPC2438</p> <p>PRODUCT VIEW: RIGHT SIDE UP</p> <p>PLANT: BEAVER DAM, KY.</p> <p>WEIGHT: 8,820 LBS.</p> <p>TOP SECTION JOINT: N/A</p> <p>BASE SECTION JOINT: N/A</p> <p>QC CHECK INITIALS:</p>	<p>DESCRIPTION: KYTC 36" PCHW FOR 24x38 ERCP (30In EQ.)</p> <p>CUSTOMER: T.B.D.</p> <p>PROJECT: T.B.D.</p> <p>STRUCTURE ID.: T.B.D.</p> <p>SALES ORDER NO.: T.B.D.</p> <p>PC: J.H. ROSS, PE</p> <p>DATE: 10/18/23</p>	<p>DRAWING: J. HORSLEY</p> <p>SCALE: NTS</p> <p>PG. 1 of 1</p>	<p>THIS DRAWING IS THE PROPERTY OF INFRASTRUCTURE PRECAST, INC. ANY USE OR DUPLICATION OF THIS DRAWING WITHOUT PRIOR AUTHORIZATION IS STRICTLY PROHIBITED.</p>
---	---	--	--