

Job Name: 25-4403 - Old Heritage Subdivision Section 6
Job Location: Shelbyville, KY 40065
Contractor: Filcon Construction

PC: C. Goff
 TECH: J. Horsey - F
 Plant: 100



Structure ID: **10+73.16 LN 14**
 Spec: MSD Rim: 785.9' Sump: 0" Floor (Bot): 782.193'
 Type: CB TYPE 2 Invert: 782.86' Floor (Top): 782.86' Overall Height: 3.667'
 Size: 24" x 36" Rim to Invert: 3.04' Floor Height: 8" Slack: 0.48"

Structure Notes:


1. PER MSD CB TYPE 2 / ASTM C-913 SPECIFICATIONS
2. CONCRETE: 4,000 PSI AT 28 DAYS
3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
4. NO INVERT CHANNEL
5. NO STEPS
6. CASTING SUPPLIED BY OTHERS

STRUCTURE SUMMARY:


P2) 24" x 36" - CASTING HEIGHT - 4"
 P1) 24" x 36" - BOX BASE 8inW, 8inF, Variable Ht F/n - 32"
 1) 24" x 36" - Conseal CS-102 1.00"
 1) Hole - 16

0 lb
 4527 lb
 0 lb
 0 lb


 Structure Total: 4527 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up ()	Ref
Rim	785.9'							
Reducer								
Invert 1	782.86'	90°	12" HDPE	14.5"	16"	Hole 16	-1.25"	P1
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 1/2/2026 1:20:33 PM

SUBMITTAL
 APPROVED BY: