

Job Name: 25-4403 - Old Heritage Subdivision Section 6	Plant: 100	Tech: J. Horsey - F	
Job Location: Shelbyville, KY 40065 Contractor: Filcon Construction	1/3/2026 12:52:01 PM	PC: C. Goff	

Structure ID: 18+85.96 LN 9

P1 MH048BAVF

MH BASE Custom Ht F/n

- P3) 24" x 44" - CASTING HEIGHT - 3.50"
- P2) 48" - MH FLAT TOP w/24"x44" Hole F/F - 7"
- P1) 48" - MH BASE Custom Ht F/n - 23"
- 1) 48" - Conseal CS-102 1.00"
- 1) Hole - 20"

0 lb
932 lb
2802 lb
0 lb
0 lb

3733 lb

Structure Total:



- Structure Notes:**
1. PER ASTM C-478 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: PER ASTM A615
 4. NO INVERT CHANNEL
 5. NO STEPS
 6. CASTING SUPPLIED BY OTHERS

Rim: 783.14' Rim to Invert: 2.82' Slack: 0.34" Sump: 0" Step Position:

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	780.32'	0°	0"	15" HDPE	17.6"	Hole 20	20"	20.629"	-1.3"	0"
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										


RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimenions)



Invert: 1
Degree: 0°
Horz: 0"
Hole: 20"
Up(): -1.3"

INSIDE WALL DIMENSIONS



Coating (Int):
Coating (Ext):

Seam Up: Flat
Seam Dn: n/a

Wall Thickness: 5"
Floor Height: 6"

Height (Int): 23"
Height (Ext): 29"

Weight (Net): 2802 lb
Volume (Net): 0.72cu.yd