



4 EA. 5CA14 CONAC A-ANCHORS
FOR PLANT & FIELD HANDLING

**PLAN VIEW
(UPSIDE DOWN)**



**VIEW A
(UPSIDE DOWN)**

2" MIN. CLR. (TYP)
#5 BAR @ 6" C.C. E.W. (GRADE 60) - TYP WALLS & FLOOR
ALUMINUM LADDER & SAFETY POST SUPPLIED BY OTHERS



**VIEW B
(UPSIDE DOWN)**

GENERAL NOTES:

1. MANUFACTURED PER ASTM C-913 SPECIFICATIONS
2. CONCRETE: 5,000 PSI AT 28 DAYS
3. REINFORCEMENT: #5 BAR @ 6" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
4. WEIGHT: 17,415 LBS
5. ALUMINUM LADDER & SAFETY POST SUPPLIED BY OTHERS
6. LINK-SEAL CONNECTORS SUPPLIED BY OTHERS
7. LIFTERS: 4 EA. 5CA14 CONAC A-ANCHORS FOR PLANT & FIELD HANDLING

PRODUCTION WORK ORDER

PRODUCT I.D.: BX072144-06W06F-VF DESCRIPTION: 72" X 144" X 42" BASE, 6" WALLS & 6" FLOOR



QUALITY CONTROL CHECKLIST	
<input type="checkbox"/>	ALL DIMENSIONS CORRECT.
<input type="checkbox"/>	LIFTERS INSTALLED.
<input type="checkbox"/>	HOLE LOCATION(S) CORRECT.
<input type="checkbox"/>	REINFORCING & SPACING CORRECT.
<input type="checkbox"/>	SURFACE QUALITY ACCEPTABLE.
<input type="checkbox"/>	EDGES CHAMFERED.
<input type="checkbox"/>	JOINT INSTALLED.

PRODUCT VIEW: UPSIDE DOWN
PLANT: BEAVER DAM, KY
WEIGHT: 17,415 LBS
TOP SECTION JOINT: N / A
BASE SECTION JOINT: TONGUE
QC CHECK INITIALS:

CUSTOMER: STRIEGEL DESIGN & CONSTRUCTION	
PROJECT: 2025 NEW WELL FIELDS	
STRUCTURE: 2-54406-14	
ORDER NO: 25-4406	
PE: J.H. ROSS	DRAWING: K. CARDWELL
DATE: 02/11/26	SCALE: NTS PG. 1 OF 1