

Job Name: 25-4502 - Smallhouse Rd Greenway
Job Location: Bowlgin Green, KY
Contractor: Apex Design Group, Inc.

PC: T. Lewis
 TECH: J. Horsley
 Plant: 100



Structure ID: **1442 (2)**
 Spec: Storm
 Type: BX 6inW, 6inF
 Size: 30" x 30"

Rim: 0.667'
 Invert: 0.667'
 Rim to Invert: 0'


Sump: 0"
 Floor (Top): 0'
 Floor Height: 0"

Floor (Bot): 0'
 Overall Height: 0.667'
 Slack: 0"

Structure Notes:
 1. PER ASTM C913 SPECIFICATIONS.
 2. CONCRETE = 4,000 PSI AT 28 DAYS.
 3. CASTING BY ICAST (HOE KY-206 TY. 1 F/C)

REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W.

STRUCTURE SUMMARY:
 P1) 30" x 30" - CB FLAT TOP 6"W w/24"Hole F/F - 8" 880 lb
Structure Total: 880 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (L)	Ref
Rim	0.667'							
Reducer								
Invert 1								
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								

Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 3/12/2026 7:56:32 AM

SUBMITTAL
 APPROVED BY: