

Job Name: 25-4674 TMMI Maverick SW3 & 4	Plant: Beaver Dam	Tech: S. Felletter	
Job Location: Georgetown, KY Contractor: Aristeo Contracting	3/4/2026 8:20:21 AM	PC: E. Bradley	

Structure ID: CB300 (4)

P1 MH048BA60

MH BASE T/n

P3) 24" - CASTING HEIGHT - 7"	0 lb
P2) 48" - MH FLAT LID w/24in ECC Hole F/G - 12"	1561 lb
P1) 48" - MH BASE T/n - 60"	5303 lb
1) CASTING - HOE MCB-375-B F/Bar Grt	250 lb
1) 48" - Hamilton Kent MH Gasket	0 lb
1) Hole - 24	0 lb
1) Hole - 8	0 lb
3) MH Step ML-10-TDS-NCR - 10"	0 lb
Structure Total:	7114 lb

Structure Notes:
 1. PER ASTM C478 SPECIFICATIONS.
 2. CONCRETE = 4,000 PSI AT 28 DAYS.
 3. CASTING HOE MCB-375-B BY ICAST.




REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W..
 - RISER/WALLS (As .12)
 - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.

Rim: 916.87' Rim to Invert: 4.83' Slack: 2.96" Sump: 24" Step Position: 180


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	912.04'	0°	0"	18" ADS N-12	22"	Hole 24	24"	25.133"	22"	0"
Invert 2	914.1'	270°	136.659"	6" HDPE (perf pipe)	6.9"	Hole 8	8"	8.038"	48.27"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):	Seam Up: Tongue	Wall Thickness: 5"	Height (Int): 60"	Weight (Net): 5303 lb
Coating (Ext):	Seam Dn: n/a	Floor Height: 6"	Height (Ext): 66"	Volume (Net): 1.36cu.yd