

Job Name: 25-4686 Fivestar 6585
Job Location: Monticello, KY
Contractor: Weddle Enterprises, Inc

PC: Celina Goff
 TECH: J. Horsley - A
 Plant: 100



Structure ID: 2 (3)
 Spec: Storm
 Type: BX 8inW, 8inF
 Size: 24" x 24"

Rim: 955.37'
 Invert: 950.61'
 Rim to Invert: 4.76'

Sump: 0"
 Floor (Top): 950.61'
 Floor Height: 8"


Floor (Bot): 949.943'
 Overall Height: 5.417'
 Slack: 0.12"

Structure Notes:


1. PER ASTM C-913 SPECIFICATIONS
2. CONCRETE: 4,000 PSI AT 28 DAYS
3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
4. NO STORM INVERT
5. NO STEPS
6. HOE 280T FRAME & GRATE SUPPLIED BY OTHERS

STRUCTURE SUMMARY:


P2) 24" x 24" - CASTING HEIGHT - 4" 0 lb
 P1) 24" x 24" - BOX BASE 8inW, 8inF, Variable Ht F/n - 53" 5126 lb
 1) 24" x 24" - Conseal CS-102 1.00" 0 lb
 1) Hole - 24 0 lb
 1) Hole - 14 0 lb
 1) Hole - 18 0 lb
 _____ 0 lb
 Structure Total: 5126 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (L)	Ref
Rim	955.37'							
Reducer								
Invert 1	950.61'	180°	18" HDPE	21.2"	24"	Hole 24	-1.6"	P1
Invert 2	951.53'	270°	10" HDPE	11.4"	14"	Hole 14	10.34"	P1
Invert 3	950.61'	90°	12" HDPE	14.5"	18"	Hole 18	-1.25"	P1
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 1/24/2026 3:13:22 PM

SUBMITTAL
 APPROVED BY: