

Job Name: 25-4714 - UK HEB Bid Pack 07  
 Job Location: Lexington, KY  
 Contractor: Woodall Construction Co., Inc.

Plant: 100

Tech: J. Horsley - F

1/29/2026 12:24:04 PM

PC: C. Goff



**Structure ID: B2 (2)**

**P1 BX2436-08BA18**

**BOX BASE 8inW, 8inF F/n**

- P2) 24" x 36" - CASTING HEIGHT - 6"
- P1) 24" x 36" - BOX BASE 8inW, 8inF F/n - 18"
- 1) CASTING - HOE 525 LV SET (F/G/H)
- 1) 24" x 36" - Conseal CS-102 1.00"
- 1) Hole - 14

0 lb  
 3130 lb  
 442 lb  
 0 lb  
 0 lb  
 -----  
 Structure Total: 3572 lb



- Structure Notes:**
1. PER LFUCG CBI TYPE D / ASTM C-913 SPECIFICATIONS
  2. CONCRETE: 4,000 PSI AT 28 DAYS
  3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
  4. NO STORM INVERT
  5. NO STEPS
  6. HOE 525 FRAME, L-VANE GRATE, & CURB HOOD SUPPLIED BY ICAST

Rim: 1000.12'    Rim to Invert: 2'    Slack: 0"    Sump: 0"    Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ( )	Offset
Invert 1	998.12'	90°	26"	10" PVC SDR35	10.5"	Hole 14	14"	14"	-0.25"	0"
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimenions)



INSIDE WALL DIMENSIONS



Coating (Int):  
 Coating (Ext):

Seam Up: Flat  
 Seam Dn: n/a

Wall Thickness: 8"  
 Floor Height: 8"

Height (Int): 18"  
 Height (Ext): 26"

Weight (Net): 3130 lb  
 Volume (Net): 0.8cu.yd