

Job Name: 25-4714 - UK HEB Bid Pack 07
Job Location: Lexington, KY
Contractor: Woodall Construction Co., Inc.

PC: C. Goff
 TECH: J. Horsley - F
 Plant: 100



Structure ID: **B2 (2)**
 Spec: LEXINGTON
 Type: CBI TYPE D
 Size: 24" x 36"

Rim: 1000.12'
 Invert: 998.12'
 Rim to Invert: 2'

Sump: 0"
 Floor (Top): 998.12'
 Floor Height: 8"


Floor (Bot): 997.453'
 Overall Height: 2.667'
 Slack: 0"

- Structure Notes:**
1. PER LFUCG CBI TYPE D / ASTM C-913 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
 4. NO STORM INVERT
 5. NO STEPS
 6. HOE 525 FRAME, L-VANE GRATE, & CURB HOOD SUPPLIED BY ICAST


STRUCTURE SUMMARY:

P2) 24" x 36" - CASTING HEIGHT - 6" 0 lb
 P1) 24" x 36" - BOX BASE 8inW, 8inF F/n - 18" 3130 lb
 1) CASTING - HOE 525 LV SET (F/G/H) 442 lb
 1) 24" x 36" - Conseal CS-102 1.00" 0 lb
 1) Hole - 14 0 lb


Structure Total: 3572 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (")	Ref
Rim	1000.12'							
Reducer								
Invert 1	998.12'	90°	10" PVC SDR35	10.5"	14"	Hole 14	-0.25"	P1
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 1/29/2026 12:19:57 PM

SUBMITTAL
 APPROVED BY: