



GENERAL NOTES:

1. MANUFACTURED TO ASTM C-478 (LATEST REVISION).
2. CONCRETE 5,000 PSI AT 28 DAYS.
3. REINFORCING: #4 & #5 BAR AS SHOWN (GRADE 60).
4. WEIGHT: 23,623 LBS.



PLAN VIEW



SECTION A-A

<p>PRODUCTION WORK ORDER</p>		<p>PRODUCT I.D.: MH144LD18SP</p>	<p>DESCRIPTION: CUSTOM ø144" MANHOLE TOP SLAB</p>	
	<p>QUALITY CONTROL CHECKLIST</p>	<p>PRODUCT VIEW: RIGHT SIDE UP</p>	<p>CUSTOMER: CONTECH ENGINEERING SOLUTIONS</p>	
	<input type="checkbox"/> ALL DIMENSIONS CORRECT.	<p>PLANT: BEAVER DAM, KY.</p>	<p>PROJECT: 852698 VENUE EAST CINCINNATI</p>	
	<input type="checkbox"/> LIFTERS INSTALLED.	<p>WEIGHT: 23,623 LBS.</p>	<p>STRUCTURE: 25-CS-12</p>	
	<input type="checkbox"/> HOLE LOCATION(S) CORRECT.	<p>TOP SECTION JOINT: N/A</p>	<p>ORDER NO: 26-1186</p>	
	<input type="checkbox"/> REINFORCING CORRECT.	<p>BASE SECTION JOINT: BELL</p>	<p>PC: T. SEKULA</p>	<p>DRAWING: S. FELLETTER</p>
<input type="checkbox"/> HATCH LOCATION & ORIENTATION.	<p>QC CHECK INITIALS:</p>	<p>DATE: 02/17/26</p>	<p>SCALE: NTS</p>	<p>PG. 1 of 1</p>
<input type="checkbox"/> STEPS INSTALLED.				
<input type="checkbox"/> SHIP-LAP JOINT INSTALLED.				