

**Structure ID: MH-310-22 SS-MH**

**P2 MH048RS72**



**MH RISER T/G**

P4) 24" - CASTING HEIGHT - 7" P3) 48" - CON CONE w/24" HOLE F/G - 36" P2) 48" - MH RISER T/G - 72" P1) 48" - MH BASE (08"F) T/n - 30" 1) 48" - MH INVERT CHANNEL - FULL HEIGHT 1) CASTING - HOE MC-375 F/C Sanitary 2) 48" - Conseal CS-102 1.00" (Double) 2) PSX - 12-08 DD 11) MH Step ML-10-TDS-NCR - 10"	0 lb 2252 lb 5030 lb 3774 lb 1440 lb 271 lb 0 lb 16 lb 0 lb ----- Structure Total: 12783 lb	<b>Structure Notes:</b> PLAN LABEL: 310 1. HOE MC-375 F/C SANITARY PROVIDED BY ICAST. 2. PER ASTM C76 SPECIFICATIONS. 3. CONCRETE = 4,000 PSI AT 28 DAYS. 4. REINFORCING PER ASTM A615 (GRADE 60). - CONE (As .12) - BASE WALL W/ DBL. AS 0.12 - FLOOR (AS .40)
--	---	---


Rim: 897.8'    Rim to Invert: 12.08'    Slack: 1.96"    Sump: 2"    Step Position: 265°

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (L)	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

**RIGHT-SIDE UP VIEW (int. dimensions)**



**INSIDE WALL DIMENSIONS**



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: Groove	Wall Thickness: 5" Floor Height: 0"	Height (Int): 72" Height (Ext): 72"	Weight (Net): 5030 lb Volume (Net): 1.28cu.yd
----------------------------------	------------------------------------	--	--	--