

Job Name: 26-1222 Woodvale Subdivision Ph.120-211-300
 Job Location: Erlanger, KY
 Contractor: Mago Construction Co. LLC

Plant: 100
 3/2/2026 1:35:21 PM

Tech: Jared - A
 PC: Celina Goff





Structure ID: MH-86-9 MH3

P2 MH048CN36

ECC CONE w/ 24" HOLE F/G

| | |
|--|---------|
| P4) 24" - CASTING HEIGHT - 7" | 0 lb |
| P3) 24" - GRADE RING F/F - 4" | 270 lb |
| P2) 48" - ECC CONE w/ 24" HOLE F/G - 36" | 3000 lb |
| P1) 48" - MH BASE T/n - 48" | 4289 lb |
| 1) CASTING - HOE MC-375 F/C Storm | 271 lb |
| 1) 48" - Conseal CS-102 1.00" | 0 lb |
| 2) Hole - 24" | 0 lb |
| 7) MH Step ML-10-TDS-NCR - 10" | 0 lb |
| Structure Total: | 7830 lb |

Structure Notes:
 PLAN LABEL: 86
 1. HOE MC-375 F/C STORM PROVIDED BY ICAST.
 2. PER ASTM C478 SPECIFICATIONS.
 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 4. REINFORCING PER ASTM A615 (GRADE 60).
 - CONE (As .12)
 - RISER/WALLS (As .12)
 - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.



48" - ECC CONE w/ 24" HOLE F/G - 36" - (P2)

| | | | | |
|----------------------------------|----------------------------------|--------------------|-------------------|---|
| Coating (Int): Coating (Ext): | Seam Up: Flat Seam Dn: Groove | Wall Thickness: 5" | Height (Ext): 36" | Weight (Net): 3000 lb Volume (Net): 0.5cu.yd |
|----------------------------------|----------------------------------|--------------------|-------------------|---|