




Job Name: 26-1228 - L&N Federal Credit Union Job Location: Louisville, KY 40243 Contractor: H & W Landworks		Plant: 100 5/6/2026 12:05:51 PM	Tech: Jared - A PC: T. Lewis	
Structure ID: S-5-6 ST-MH				
P3 GR4		GRADE RING F/F		
P4) 24" - CASTING HEIGHT - 7" P3) 24" - GRADE RING F/F - 4" P2) 48" - MH FLAT TOP w/ 24" ECC Hole F/G - 12" P1) 48" - MH BASE T/n - 30" 1) CASTING - HOE MC-420 F/C Storm 1) 48" - Conseal CS-102 1.00" 1) Hole - 16 1) Hole - 18 3) MH Step ML-10-TDS-NCR - 10"		0 lb 270 lb 1561 lb 3231 lb 340 lb 0 lb 0 lb 0 lb 0 lb ----- Structure Total: 5402 lb	Structure Notes: 1. PER ASTM C-478 SPECS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT: (1) #3 HOOP CENTERED (GRADE 60)	
 PLAN VIEW  ISOMETRIC VIEW  SECTION A-A				
Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Flat	Wall Thickness: 8"	Height (Ext): 4"	Weight (Net): 270 lb Volume (Net): 0.07cu.yd