







Structure ID: 3

P1 BX024168-08BVF


BOX BASE 8inW, 8inF, Variable Ht F/n

GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION)
2. CONCRETE: 4,500 PSI AT 28 DAYS
3. REINFORCEMENT: #5 BAR @ 8" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 - SEE "FLOOR REINFORCEMENT" ON THIS PAGE & REBAR DETAILS ON PG. 3 FOR ADDITIONAL INFORMATION
4. TOTAL WEIGHT: 11,925 LBS
 - FIRST POUR (FLOOR): 4,726 LBS
 - SECOND POUR (WALLS): 7,199 LBS
5. SEE PG. 2 OF 3 FOR SECOND POUR (WALL POUR)



PRODUCTION WORK ORDER



QUALITY CONTROL CHECKLIST

- ALL DIMENSIONS CORRECT.
- LIFTERS INSTALLED.
- CORRECT THICKNESS.
- REINFORCING CORRECT.
- #5 U-BAR STUBS CORRECT.
- BASE MAT CORRECT.
- PRODUCT SQUARE.

PRODUCT I.D.: BX024168-08BVF	DESCRIPTION: 176" X 40" X 8" THICK BASE FLOOR (FIRST POUR)
PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: MARTIN MARIETTA
PLANT: BEAVER DAM, KY	PROJECT: HARTFORD SUMP AND SLOT DRAIN
WEIGHT: 4,726 LBS (11,925 LBS TOTAL)	STRUCTURE: 3
TOP SECTION JOINT: N/A	ORDER NO.: 26-1324
BASE SECTION JOINT: N/A	PE: J.H. ROSS
QC CHECK INITIALS:	DRAWING: K. CARDWELL
	SCALE: NTS
	PG. 1 OF 3



Structure ID: 3


P1 BX024168-08BVF

BOX BASE 8inW, 8inF, Variable Ht F/n


GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION)
2. CONCRETE: 4,500 PSI AT 28 DAYS
3. REINFORCEMENT: #8 BAR @ 8" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 - SEE "LONG WALL REINFORCEMENT" & "SHORT WALL REINFORCEMENT" ON THIS PAGE & REBAR DETAILS ON PG. 3 FOR ADDITIONAL INFORMATION
4. JR HOE 26" TYPE A BOLT-DOWN TRENCH GRATES & FABRICATED STEEL FRAMES W/ NELSON STUDS SUPPLIED BY ICAST
5. FABRICATED STEEL FRAMES W/ NELSON STUDS TO BE CAST INTO TOP OF WALLS
6. TOTAL WEIGHT: 11,925 LBS
 - FIRST POUR (FLOOR): 4,726 LBS
 - SECOND POUR (WALLS): 7,199 LBS
7. SEE PG. 1 OF 3 FOR FIRST POUR (FLOOR POUR)


THIS SIDE OF BOX TO BE LEFT OPEN / NO WALL




**PLAN VIEW
(RIGHT SIDE UP)**




**VIEW A
(RIGHT SIDE UP)**



**VIEW B
(RIGHT SIDE UP)**



**LONG WALL REINFORCEMENT
(RIGHT SIDE UP)**



**SHORT WALL REINFORCEMENT
(RIGHT SIDE UP)**

PRODUCTION WORK ORDER

PRODUCT I.D.: BX024168-08BVF	DESCRIPTION: 168" X 24" X 24" BASE WALLS (SECOND POUR)
PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: MARTIN MARIETTA
PLANT: BEAVER DAM, KY	PROJECT: HARTFORD SUMP AND SLOT DRAIN
WEIGHT: 7,199 LBS (11,925 LBS TOTAL)	STRUCTURE: 3
TOP SECTION JOINT: N/A	ORDER NO.: 26-1324
BASE SECTION JOINT: N/A	PE: J.H. ROSS
QC CHECK INITIALS:	DATE: 03/04/26
	SCALE: NTS
	PG. 2 OF 3




- QUALITY CONTROL CHECKLIST**
- ALL DIMENSIONS CORRECT.
 - LIFTERS INSTALLED.
 - CORRECT THICKNESS.
 - REINFORCING CORRECT.
 - SURFACE QUALITY ACCEPTABLE.
 - EDGES CHAMFERED.
 - ALL PATCHWORK ACCEPTABLE.



Structure ID: 3

P1 BX024168-08BVF

BOX BASE 8inW, 8inF, Variable Ht F/n



PRODUCTION WORK ORDER		PRODUCT I.D.: BX024168-08BVF	DESCRIPTION: 168" X 24" X 24" BASE - REBAR DETAILS
QUALITY CONTROL CHECKLIST		PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: MARTIN MARIETTA
<input type="checkbox"/> ALL DIMENSIONS CORRECT. <input type="checkbox"/> LIFTERS INSTALLED. <input type="checkbox"/> CORRECT THICKNESS. <input type="checkbox"/> REINFORCING CORRECT. <input type="checkbox"/> SURFACE QUALITY ACCEPTABLE. <input type="checkbox"/> EDGES CHAMFERED. <input type="checkbox"/> ALL PATCHWORK ACCEPTABLE.		PLANT: BEAVER DAM, KY	PROJECT: HARTFORD SUMP AND SLOT DRAIN
		WEIGHT: 11,925 LBS TOTAL	STRUCTURE: 3
		TOP SECTION JOINT: N / A	ORDER NO: 26-1324
		BASE SECTION JOINT: N / A	PE: J.H. ROSS
		QC CHECK INITIALS:	DRAWING: K. CARDWELL
			DATE: 03/04/26
			SCALE: NTS
			PG. 3 OF 3



THIS DRAWING IS THE PROPERTY OF INFRASTRUCTURE PRECAST, INC. ANY USE OR DUPLICATION OF THIS DRAWING WITHOUT PRIOR AUTHORIZATION IS STRICTLY PROHIBITED.

Job Number:

26-1324

Job Name:

Hartford Sump and Slot Drain

Structure:

Martin Marietta

Note:

JR Hoe 26" Type A Trench Drain
Fabricated Steel Frames w/ Nelson
Studs Supplied By iCast To Be Cast
Into Top of Base Walls