






GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: PER ASTM A615 (GRADE 60).
WALLS/FLOOR: #5 BAR @ 12" C.C.E.W.
4. WEIGHTS: TOTAL = 12,654 LBS
FIRST POUR = 3,874 LBS
SECOND POUR = 8,780 LBS
5. JOINT TO BE SEALED W/ CS-102 SEALANT

FIRST POUR DRAWING

PRODUCTION WORK ORDER



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION.
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT I.D.: BX6060-08BAVF

PRODUCT VIEW: RIGHT SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 12,654 LBS.

TOP SECTION JOINT: N/A

BASE SECTION JOINT: N/A

QC CHECK INITIALS:

DESCRIPTION: 60" X 60" X 49" TALL BOX BASE

CUSTOMER: BUZICK CONSTRUCTION

PROJECT: BUFFALO TRACE

STRUCTURE: SEDIMENT BASIN 1A

ORDER NO: 26-1651B




PC: E. BRADLEY

DRAWING: S. FELLETER

DATE: 06/26/26

SCALE: NTS

PG. 1 of 1



GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: PER ASTM A615 (GRADE 60).
WALLS/FLOOR: #5 BAR @ 12" C.C.E.W.
4. **WEIGHTS: TOTAL = 12,654 LBS**
FIRST POUR = 3,874 LBS
SECOND POUR = 8,780 LBS
5. JOINT TO BE SEALED W/ CS-102 SEALANT

SECOND POUR DRAWING

PRODUCTION WORK ORDER



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION.
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT I.D.: BX6060-08BAVF

PRODUCT VIEW: RIGHT SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 12,654 LBS.

TOP SECTION JOINT: N/A

BASE SECTION JOINT: N/A

QC CHECK INITIALS:

DESCRIPTION: 60" X 60" X 49" TALL BOX BASE

CUSTOMER: BUZICK CONSTRUCTION

PROJECT: BUFFALO TRACE

STRUCTURE: SEDIMENT BASIN 1A

ORDER NO: 26-1651B

PC: E. BRADLEY

DRAWING: S. FELLETER

DATE: 06/26/26

SCALE: NTS

PG. 1 of 1