






GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: PER ASTM A615. (GRADE 60).
- BASE #5 BAR @ 6" C.C.E.W.
4. WEIGHT: 25,204 LBS
FIRST POUR FLOOR - 3,780 LBS
SECOND POUR WALLS - 13,434 LBS
THIRD POUR WEIR WALL - 2,843 LBS
FOURTH POUR SUMP - 5,147 LBS
5. LIFTING ANCHORS TO BE ON THE OUTSIDE OF THE STRUCTURE
6. CS-102 JOINT SEALANT.

FIRST POUR DRAWING

PRODUCTION WORK ORDER



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION(S).
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT I.D.: BX4872-08BAVF

PRODUCT VIEW: RIGHT SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 25,403 LBS.

TOP SECTION JOINT: TONGUE

BASE SECTION JOINT: N/A

QC CHECK INITIALS:

DESCRIPTION: 48" X 72" X 82" TALL BOX BASE

CUSTOMER: CONVERGENT WATER TECHNOLOGIES

PROJECT: PALM ST. SMART POND

STRUCTURE: QL1

ORDER NO: 26-1706




PC: C. GOFF

DRAWING: S. FELLETER

DATE: 07/29/26

SCALE: NTS

PG. 1 of 1



GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: PER ASTM A615. (GRADE 60).
- BASE #5 BAR @ 6" C.C.E.W.
4. WEIGHT: 25,204 LBS
FIRST POUR FLOOR - 3,780 LBS
SECOND POUR WALLS - 13,434 LBS
THIRD POUR WEIR WALL - 2,843 LBS
FOURTH POUR SUMP - 5,147 LBS
5. LIFTING ANCHORS TO BE ON THE OUTSIDE OF THE STRUCTURE
6. CS-102 JOINT SEALANT.

SECOND POUR DRAWING

PRODUCTION WORK ORDER



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION(S).
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT I.D.: BX4872-08BAVF

PRODUCT VIEW: RIGHT SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 25,403 LBS.

TOP SECTION JOINT: TONGUE

BASE SECTION JOINT: N/A

QC CHECK INITIALS:

DESCRIPTION: 48" X 72" X 82" TALL BOX BASE

CUSTOMER: CONVERGENT WATER TECHNOLOGIES

PROJECT: PALM ST. SMART POND

STRUCTURE: QL1

ORDER NO: 26-1706




PC: C. GOFF

DRAWING: S. FELLETER

DATE: 07/29/26

SCALE: NTS

PG. 1 of 1



- GENERAL NOTES:**
1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
 2. CONCRETE: 5,000 PSI AT 28 DAYS.
 3. REINFORCING: PER ASTM A615. (GRADE 60).
- BASE #5 BAR @ 6" C.C.E.W.
 4. WEIGHT: 25,204 LBS
FIRST POUR FLOOR - 3,780 LBS
SECOND POUR WALLS - 13,434 LBS
THIRD POUR WEIR WALL - 2,843 LBS
FOURTH POUR SUMP - 5,147 LBS
 5. LIFTING ANCHORS TO BE ON THE OUTSIDE OF THE STRUCTURE
 6. CS-102 JOINT SEALANT.

SECTION B-B
SOME DETAILS HIDDEN FOR CLARITY

PRODUCTION WORK ORDER

PRODUCT I.D.: BX4872-08BAVF

DESCRIPTION: 48" X 72" X 82" TALL BOX BASE



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION(S).
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT VIEW: RIGHT SIDE UP

CUSTOMER: CONVERGENT WATER TECHNOLOGIES

PLANT: BEAVER DAM, KY.

PROJECT: PALM ST. SMART POND

WEIGHT: 25,403 LBS.

STRUCTURE: QL1

TOP SECTION JOINT: TONGUE

ORDER NO: 26-1706

BASE SECTION JOINT: N/A

PC: C. GOFF



DRAWING: S. FELLETER

QC CHECK INITIALS:

DATE: 07/29/26

SCALE: NTS


PG. 1 of 1



GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: PER ASTM A615. (GRADE 60).
- BASE #5 BAR @ 6" C.C.E.W.
4. WEIGHT: 25,204 LBS
FIRST POUR FLOOR - 3,780 LBS
SECOND POUR WALLS - 13,434 LBS
THIRD POUR WEIR WALL - 2,843 LBS
FOURTH POUR SUMP - 5,147 LBS
5. LIFTING ANCHORS TO BE ON THE OUTSIDE OF THE STRUCTURE
6. CS-102 JOINT SEALANT.

FOURTH POUR DRAWING



SOME DETAILS HIDDEN FOR CLARITY

PRODUCTION WORK ORDER		PRODUCT I.D.: BX4872-08BAVF	DESCRIPTION: 48" X 72" X 82" TALL BOX BASE	
	QUALITY CONTROL CHECKLIST ☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ OPENING CORRECT LOCATION(S). ☐ REINFORCING CORRECT. ☐ SURFACE QUALITY ACCEPTABLE. ☐ EDGES CHAMFERED. ☐ ALL PATCHWORK ACCEPTABLE.	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CONVERGENT WATER TECHNOLOGIES	
		PLANT: BEAVER DAM, KY.	PROJECT: PALM ST. SMART POND	
		WEIGHT: 25,403 LBS.	STRUCTURE: QL1	
		TOP SECTION JOINT: TONGUE	ORDER NO: 26-1706	
		BASE SECTION JOINT: N/A	PC: C. GOFF	DRAWING: S. FELLETER
		QC CHECK INITIALS:	DATE: 07/29/26	SCALE: NTS PG. 1 of 1