





GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: PER ASTM A615. (GRADE 60).
- BASE #5 BAR @ 6" C.C.E.W.
5. WEIGHT: 14,790 LBS
6. LIFTING ANCHORS TO BE ON THE OUTSIDE OF THE STRUCTURE
7. CS-102 JOINT SEALANT.

SIDE VIEW

PRODUCTION WORK ORDER		PRODUCT I.D.: BX4872-08RSVF	DESCRIPTION: 48" X 72" X 81" TALL RISER	
	QUALITY CONTROL CHECKLIST ☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ HOLE LOCATION(S) CORRECT. ☐ REINFORCING CORRECT. ☐ SURFACE QUALITY ACCEPTABLE. ☐ EDGES CHAMFERED. ☐ ALL PATCHWORK ACCEPTABLE.	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CONVERGENT WATER TECHNOLOGIES	
		PLANT: BEAVER DAM, KY.	PROJECT: PALM ST. SMART POND	
		WEIGHT: 14,790 LBS.	STRUCTURE: QL1	
		TOP SECTION JOINT: FLAT	ORDER NO: 26-1706	
		BASE SECTION JOINT: GROOVE	PC: C. GOFF	DRAWING: S. FELLETTTER
		QC CHECK INITIALS:	DATE: 08/05/26	SCALE: NTS PG. 1 of 1