





NOTES:

1. PER ASTM C913 SPECIFICATIONS.
2. CONCRETE = 4,000 PSI AT 28 DAYS.
3. REINFORCING PER ASTM A615 (GRADE 60).
5. WEIGHT = 13,195 LBS.

#4 BAR CUT LIST
 17 EA. @ 164"
 8 EA. @ 64"

#5 BAR CUT LIST
 13 EA. @ 164"
 28 EA. @ 64"

PRODUCTION WORK ORDER

PRODUCT I.D.: CTS

DESCRIPTION: CUSTOM TOP SLAB 14'L x 6.5'W



QUALITY CONTROL CHECKLIST

ALL DIMENSIONS CORRECT.
 LIFTERS INSTALLED.
 OPENING CENTERED.
 REINFORCING CORRECT.
 SURFACE QUALITY ACCEPTABLE.
 EDGES CHAMFERED.
 ALL PATCHWORK ACCEPTABLE.

PRODUCT VIEW: RIGHT SIDE UP

CUSTOMER: JOHNNY HUNTER CONSTRUCTION

PLANT: BEAVER DAM, KY.

PROJECT: MOUNTAIN GOAT TRAIL

WEIGHT: 13,195 LBS

STRUCTURE: TUNNEL COVER TOP SLAB

TOP SECTION JOINT: FLAT

ORDER NO: 26-1771P2

BASE SECTION JOINT: FLAT

CHECK: B. SMITH

DRAWING: J. HORSLEY

QC CHECK INITIALS:

DATE: 08/05/26

SCALE: NTS

PG. 1 of 1