

Job Name: 26-1813 - Hunting Creek Clubhouse
Job Location: Prospect, KY 40059
Contractor: H&W Landwork

PC: T. Lewis
 TECH: K. Cardwell
 Plant: Beaver Dam, KY



Structure ID: **QL2 ST-CI**
 Spec: **KO BOXES**
 Type: **BX 6inW, 6inF**
 Size: **24" x 36"**

Rim: **5.34'**
 Invert: **0'**
 Rim to Invert: **5.34'**


Sump: **0"**
 Floor (Top): **0'**
 Floor Height: **6"**

Floor (Bot): **-0.5'**
 Overall Height: **5.667'**
 Slack: **2.08"**



- Structure Notes:**
- PER ASTM C-913 SPECIFICATIONS
 - CONCRETE: 4,000 PSI AT 28 DAYS
 - REINFORCEMENT:
 - FLAT LID: #5 BAR @ 6" C.C. E.W. (GRADE 60)
 - KNOCKOUT BASE: #4 BAR @ 12" C.C. E.W. (GRADE 60)
 - NO STORM INVERT
 - NO STEPS
 - HOE-360 FRAME, L-VANE GRATE, & CURB HOOD SUPPLIED BY ICAST

STRUCTURE SUMMARY:

P4) 24" x 24" - CASTING HEIGHT - 6"	0 lb
P3) 24" x 24" - GRADE RING 6"W F/F - 6"	362 lb
P2) 24" x 36" - CB FLAT TOP 6"W w/24"x24" HOLE F/F - 8"	773 lb
P1) 24" x 36" - KNOCKOUT BASE 6"W/F - STOCK F/n - 42"	2466 lb
1) CASTING - HOE 360 Set (F/G/H)	362 lb
1) 24" x 36" - Conseal CS-102 1.00"	0 lb
2) 24" x 24" - Conseal CS-102 1.00"	0 lb
1) No Opening	0 lb
Structure Total:	3964 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (L)	Ref
Rim	5.34'							
Reducer								
Invert 1			No Opening			No Opening		P1
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Submittal Drawing
 4/7/2026 8:32:13 AM

SUBMITTAL
 APPROVED BY: