



Job Name: 26-1843 - Dutch Bros Coffee Job Location: Paducah, KY 42003 Contractor: Ainsworth Land Development, LLC		Plant: 100 6/24/2026 9:47:14 AM	Tech: Jared - A PC: T. Lewis	
Structure ID: STR 100 ST-OCS P2 BX048048-08LD06S CB FLAT TOP 8"W SPEC. (HOE MCS-295-B) F/F				
P3) 23.75" - CASTING (cast in) - 4" P2) 48" x 48" - CB FLAT TOP 8"W SPEC. (HOE MCS-295-B) F/F - 6" P1) 48" x 48" - BOX BASE 8inW, 8inF, Variable Ht F/n - 21" 1) This Structure Includes a Cast-in Item - HOE MCS-295-B Frame (Supplied by iCast) 1) CASTING - HOE MCS-295B F/G 1) 48" x 48" - Conseal CS-102 1.00" 1) DOGHOUSE INVRTD - 16"x15.5" 4) Weir n/n - 48"x6.625" 1) Weir n/n - 12"x6" 1) Hole - 8		0 lb 1986 lb 4953 lb 0 lb 123 lb 0 lb 0 lb 0 lb 0 lb 0 lb ----- Structure Total: 7063 lb	Structure Notes: 1. PER ASTM C-913 SPECIFICATIONS 2. CONCRETE: 4,500 PSI AT 28 DAYS 3. REINFORCEMENT: #5 BAR @ 6" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP) 4. HOE MCS-295-B FRAME & BAR GRATE SUPPLIED BY ICAST - FRAME TO BE CAST INTO FLAT LID FLANGE SIDE UP 5. LIFTERS: 4 EA. 5CA14 CONAC A-ANCHORS FOR PLANT & FIELD HANDLING - INSTALLED AS SHOWN 6. TOP SURFACE TO RECEIVE LIGHT BRUSH FINISH	
 PLAN VIEW (RIGHT SIDE UP)  FRONT VIEW (RIGHT SIDE UP)				
Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Flat	Wall Thickness: 8"	Height (Ext): 6"	Weight (Net): 1986 lb Volume (Net): 0.51cu.yd

Job Number:

26-1843

Job Name:

Dutch Bros Coffee

Structure:

STR 100 ST-OCS

Note:

HOE MCS-295-B Frame Supplied By
iCast To Be Cast Into Flat Lid Flange
Side Up