




Job Name: 26-1987P6 - Project Nova Job Location: Sullivan, IN 47882 Contractor: McCreary Concrete Products, Inc.					Plant: Beaver Dam 9/3/2026 3:15:53 PM		Tech: J. Copping PC: M. Sullivan				
Structure ID: 1208											
P2		MH108RS72		MH RISER							
P7) 24" x 36" - CASTING HEIGHT - 7" P6) 24" x 36" - GRADE RING - 3" P5) 108" - MH FLAT TOP w/24in X 36in ECC Hole - 17" P4) 108" - MH RISER - 42" P3) 108" - MH RISER - 72" P2) 108" - MH RISER - 72" P1) 108" - MH BASE - 84" 4) 108" - Conseal CS-102 1.00" 2) 24" x 36" - Conseal CS-102 1.00" 2) Hole - 75 1) Hole - 28 4) Hole - 6 23) MH Step ML-10-TDS-NCR - 10"					0 lb 306 lb 12900 lb 12970 lb 21875 lb 22397 lb 31028 lb 0 lb 0 lb 0 lb 0 lb 0 lb		Structure Notes: . 1. (CASTING PROVIDED BY OTHERS) 2. PER ASTM C478 SPECIFICATIONS. 3. CONCRETE = 4,000 PSI AT 28 DAYS. 4. REINFORCING PER ASTM A615 (GRADE 60). - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W.. - RISER/WALLS (As .36) - FLOOR (As .47) #5 BARS AT 8" C.C.E.W.				
Rim: 511.03' Rim to Invert: 24.28' Slack: 0.36" Sump: 6" Step Position: 240					Structure Total: 101476 lb						
Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (_)	Offset	
Invert 1											
Invert 2											
Invert 3											
Invert 4											
Invert 5											
Invert 6											
Invert 7											
Invert 8											
RIGHT-SIDE UP VIEW (int. dimensions)  											
INSIDE WALL DIMENSIONS 											
Coating (Int): Coating (Ext):			Seam Up: Tongue Seam Dn: Groove		Wall Thickness: 10" Floor Height: 0"		Height (Int): 72" Height (Ext): 72"		Weight (Net): 22397 lb Volume (Net): 5.72cu.yd		