



Weight (Net): 8241 lb
Volume (Net): 2.1cu.yd

Job Name: 26-2050 - VSG 691257162
Job Location: CPU
Contractor: Endesol, Inc.

Plant: Beaver Dam
8/19/2026 2:27:59 PM

Tech: J. Coppage
PC: E. Bradley



Structure ID: 2-62050-1


P1 CVBS

BX Separate Base Slab

- P3) 50" x 252" - CASTING HEIGHT - 0"
P2) 50" x 252" - BOX RISER 6inW, Variable Ht - 28"
P1) 50" x 252" - BX Separate Base Slab - 6"
2) 50" x 252" - Conseal CS-102 1.00"

Structure Notes: .
A) PER ASTM C913.
B) CONCRETE = 4,500 PSI AT 28 DAYS.
C) REINFORCING PER ASTM A615 (GRADE 60).

Structure Total: 17043 lb



- NOTES:
1. Rebar: #5, #6, #8 A614 Grade 60
2. All Rebar to have 1.5" Cover Minimum

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		CAJ	3/22/16
FRACTIONAL 1/8"		JHR	3/22/16
TWO PLACE DECIMAL		XXX	XXX
THREE PLACE DECIMAL		XXX	XXX
INHERENT GEOMETRIC TOLERANCES		XXX	XXX
TOLERANCES		XXX	XXX
REBAR A614 G60		XXX	XXX
MILL		XXX	XXX
USED ON		XXX	XXX
APPLICATION		XXX	XXX
DO NOT SCALE DRAWING		XXX	XXX
SCALE: 1:50		XXX	XXX
WEIGHT:		XXX	XXX
SHEET 1 OF 1		XXX	XXX

ITEM NO.	PART NUMBER	QTY.
1	252_Base_Bottom Mat	1
2	252_Base_Top Mat	1
3	Short Wall	2
4	252_ADJ_Long Wall	2
5	#4 0904J	32
6	6CA18	8

FORUMENT AND CONCRETE
THESE DRAWINGS ARE THE SOLE PROPERTY OF
ENDSOL. NO PART OF THESE DRAWINGS
SHALL BE REPRODUCED OR TRANSMITTED
IN ANY FORM OR BY ANY MEANS, ELECTRONIC
OR MECHANICAL, INCLUDING PHOTOCOPYING,
RECORDING, OR BY ANY INFORMATION
STORAGE AND RETRIEVAL SYSTEM, WITHOUT
THE WRITTEN PERMISSION OF ENDSOL.

Coating (Int):
Coating (Ext):
Seam Up: Tongue
Seam Dn: n/a
Wall Thickness: 6"
Floor Height: 6"
Height (Int): 0"
Height (Ext): 0"
Weight (Net): 8241 lb
Volume (Net): 2.1cu.yd

Job Name: 26-2050 - VSG 691257162
Job Location: CPU
Contractor: Endesol, Inc.

Plant: Beaver Dam
8/19/2026 2:27:59 PM

Tech: J. Coppage
PC: E. Bradley



Structure ID: 2-62050-1


P1 CVBS

BX Separate Base Slab

- P3) 50" x 252" - CASTING HEIGHT - 0"
P2) 50" x 252" - BOX RISER 6inW, Variable Ht - 28"
P1) 50" x 252" - BX Separate Base Slab - 6"
2) 50" x 252" - Conseal CS-102 1.00"

Structure Notes :
A) PER ASTM C913.
B) CONCRETE = 4,500 PSI AT 28 DAYS.
C) REINFORCING PER ASTM A615 (GRADE 60).

Structure Total: 17043 lb



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: n/a	Wall Thickness: 6" Floor Height: 6"	Height (Int): 0" Height (Ext): 0"	Weight (Net): 8241 lb Volume (Net): 2.1cu.yd
----------------------------------	---------------------------------	--	--------------------------------------	---

Job Name: 26-2050 - VSG 691257162
Job Location: CPU
Contractor: Endesol, Inc.

Plant: Beaver Dam
8/19/2026 2:27:59 PM

Tech: J. Coppage
PC: E. Bradley



Structure ID: 2-62050-1


P1 CVBS

BX Separate Base Slab

- P3) 50" x 252" - CASTING HEIGHT - 0"
P2) 50" x 252" - BOX RISER 6inW, Variable Ht - 28"
P1) 50" x 252" - BX Separate Base Slab - 6"
2) 50" x 252" - Conseal CS-102 1.00"

Structure Notes: .
A) PER ASTM C913.
B) CONCRETE = 4,500 PSI AT 28 DAYS.
C) REINFORCING PER ASTM A615 (GRADE 60).

Structure Total: 17043 lb



981 W. 7th Street Beverly Hills, KY 40301 P 270-363-2238 F 270-363-2234 ICasting.com		DRAWN: CAJ CHECKED: JBR BY: JBR DATE: 8/19/2026			
DIMENSIONS ARE IN INCHES TOLERANCES: ANGULAR ±.03° DECIMAL ±.03°		REVISIONS: 1.00 2.00 3.00 4.00 5.00 6.00 7.00 8.00 9.00 10.00 11.00 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00 23.00 24.00 25.00 26.00 27.00 28.00 29.00 30.00 31.00 32.00 33.00 34.00 35.00 36.00 37.00 38.00 39.00 40.00 41.00 42.00 43.00 44.00 45.00 46.00 47.00 48.00 49.00 50.00 51.00 52.00 53.00 54.00 55.00 56.00 57.00 58.00 59.00 60.00 61.00 62.00 63.00 64.00 65.00 66.00 67.00 68.00 69.00 70.00 71.00 72.00 73.00 74.00 75.00 76.00 77.00 78.00 79.00 80.00 81.00 82.00 83.00 84.00 85.00 86.00 87.00 88.00 89.00 90.00 91.00 92.00 93.00 94.00 95.00 96.00 97.00 98.00 99.00 100.00		DO NOT SCALE DRAWING	

Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: n/a	Wall Thickness: 6" Floor Height: 6"	Height (Int): 0" Height (Ext): 0"	Weight (Net): 8241 lb Volume (Net): 2.1cu.yd
----------------------------------	---------------------------------	--	--------------------------------------	---