




Job Name: 26-2146 - Fairview Apartments Job Location: Russell Springs, KY 42642 Contractor: Dirt Design Construction LLC					Plant: 100 8/3/2026 11:45:27 AM		Tech: J. Horsley PC: M. Sullivan				
Structure ID: 06 ST-SCB											
P1 BX3636-08BAVF BOX BASE 8inW, 8inF, Variable Ht											
P2) 36" x 36" - CASTING HEIGHT - 3" P1) 36" x 36" - BOX BASE 8inW, 8inF, Variable Ht - 33" 1) 36" x 36" - Conseal CS-102 1.00" 2) Hole - 16 1) Hole - 8						0 lb 5410 lb 0 lb 0 lb 0 lb 0 lb Structure Total: 5410 lb		Structure Notes: 1. PER ASTM C913 SPECIFICATIONS. 2. CONCRETE = 4,000 PSI AT 28 DAYS. 3. CASTING BY OTHERS (HOE 595 F/G) REINFORCING PER ASTM A615 (GRADE 60). - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W. - WALLS (As .31) #5 BARS AT 12" C.C.E.W. - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.			
Rim: 1062.65' Rim to Invert: 3' Slack: 0" Sump: 0" Step Position:											
Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset	
Invert 1	1059.65'	90°	26"	12" HDPE	14.5"	Hole 16	16"	16"	-1.25"	0"	
Invert 2	1059.65'	270°	26"	12" HDPE	14.5"	Hole 16	16"	16"	-1.25"	0"	
Invert 3	1060'	180°	26"	8" Hole	8"	Hole 8	8"	8"	4.2"	0"	
Invert 4											
Invert 5											
Invert 6											
Invert 7											
Invert 8											

RIGHT-SIDE UP VIEW (int. dimensions)




UPSIDE-DOWN VIEW (int. dimensions)





INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 8" Floor Height: 8"	Height (Int): 33" Height (Ext): 41"	Weight (Net): 5410 lb Volume (Net): 1.38cu.yd
----------------------------------	-------------------------------	--	--	--