



Job Name: 26-2441 - Rock Quarry Rd - US 27 Sewer Job Location: Somerset, KY 42501 Contractor: City of Somerset Wastewater		Plant: 100 6/21/2026 2:42:50 PM	Tech: J. Horsley PC: J. Jarvis	
Structure ID: US27-1 SS-MH				
P2 MH048CN30		ECC CONE w/ 24" HOLE F/G		
P3) 24" - CASTING HEIGHT - 7" P2) 48" - ECC CONE w/ 24" HOLE F/G - 30" P1) 48" - MH BASE T/n - 24" 1) 48" - MH INVERT CHANNEL - FULL HEIGHT 1) JOINT WRAP - 0.065"x6"x50" CONSEAL CS212 1) JOINT WRAP PRIMER - CONSEAL CS-75 (1 gal.) 1) CASTING - HOE MC-315 F/C Sanitary 1) 48" - Conseal CS-102 1.00" 1) 24" - Conseal CS-102 1.00" 1) PSX - 12-08 NYLO 1) PSX - 8QRS-S NYLO 4) MH Step ML-10-TDS-NCR - 10"		0 lb 2050 lb 2938 lb 1440 lb 0 lb 0 lb 258 lb 0 lb 0 lb 8 lb 6 lb 0 lb ----- Structure Total: 6700 lb	Structure Notes: 1. PER ASTM C-478 SPECIFICATIONS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT: PER ASTM A615 4. STEPS REQUIRED 5. HOE MC-315 FRAME & COVER "SANITARY" SUPPLIED BY ICAST	
				
 48" - ECC CONE w/ 24" HOLE F/G - 30" - (P2)				
Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Groove	Wall Thickness: 5"	Height (Ext): 30"	Weight (Net): 2050 lb Volume (Net): 0.41cu.yd