

Job Name: 26-2466 - Second Look Meter Vault
Job Location: CPU
Contractor: Second Look Lawn & Landscape

Plant: 100

Tech: J. Horsley

6/22/2026 2:44:10 PM

PC: T. Lewis



Structure ID: QL1

P2 BX048072-06WLD08-SP

CB FLAT TOP 6"W w/36"x36" HATCH F/F

- P3) 36" x 36" - CASTING (cast in) - 3"
P2) 48" x 72" - CB FLAT TOP 6"W w/36"x36" HATCH F/F - 8"
P1) 48" x 72" - BOX BASE 6inW, 6inF, Variable Ht F/n - 48"
1) HATCH (Alum.) - HALLIDAY W1S 36"x36"
1) This Structure Includes a Cast-in Item - Halliday W1S 36" x 36" Hatch (Supplied by iCast)
1) SECONDARY POUR
1) 48" x 72" - Conseal CS-102 1.00"
2) PSX - 8QRS-S NYLO


Structure Total:

0 lb
2591 lb
8867 lb
78 lb
0 lb
0 lb
0 lb
13 lb


11549 lb

Structure Notes:

1. PER ASTM C-913 SPECIFICATIONS
2. CONCRETE: 4,500 PSI AT 28 DAYS
3. REINFORCEMENT: #5 BAR @ 6" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
4. HALLIDAY W1S 36" X 36" HATCH SUPPLIED BY ICAST - TO BE CAST INTO FLAT LID
5. LIFTERS: 4 EA. 5CA14 CONAC A-ANCHORS FOR PLANT & FIELD HANDLING
6. TOP SURFACE TO RECEIVE LIGHT BRUSH FINISH




**PLAN VIEW
(RIGHT SIDE UP)**



**VIEW A
(RIGHT SIDE UP)**

#5 BAR @ 6" C.C.
E.W. (GRADE 60)



**VIEW B
(RIGHT SIDE UP)**

Coating (Int):
Coating (Ext):

Seam Up: Flat
Seam Dn: Flat

Wall Thickness: 6"

Height (Ext): 8"

Weight (Net): 2591 lb
Volume (Net): 0.66cu.yd

Job Number:

26-2466

Job Name:

Second Look Meter Vault

Structure:

QL1

Note:

Halliday W1S 36" x 36" Hatch

Supplied By iCast To Be Cast Into

Flat Lid