





**NOTES:**


1. MANUFACTURED PER ASTM C913 SPECIFICATIONS.
2. CONCRETE = 5,000 PSI AT 28 DAYS.
3. REINFORCING PER ASTM A615 (GRADE 60).
  - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W
  - WALLS (As .47) #5 BARS AT 8" C.C.E.W.
  - FLOOR (As .47) #5 BARS AT 8" C.C.E.W.
4. NO STEPS OR LADDER REQUIRED.
5. HATCHES SUPPLIED BY OTHERS:  
 HATCH 1 = HALLIDAY W1S 60"x30" WITH SKIRT FOR 10" SLAB.  
 HATCH 2 = HALLIDAY W2S 60"x42" WITH SKIRT FOR 10" SLAB.
6. WEIGHTS:  
 S2 TOP SLAB .....9,337 LBS  
 S1 MONORASE.....38,355 LBS  
 TOTAL WEIGHT: 47,692 LBS

(2) HATCHES SUPPLIED BY OTHERS  
TO BE CAST INTO TOP SLAB  
HALLIDAY W2S 60"x42" &  
HALLIDAY W1S 60"x30"

**PLAN VIEW**



**SECTION A-A**



**SECTION C-C**

**PRODUCTION WORK ORDER**



**QUALITY CONTROL CHECKLIST**

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ STEPPED HF CORRECT SIZE.
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT I.D.: BX108108-08LD06S

PRODUCT VIEW: RIGHT-SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 7,979 LBS

TOP SECTION JOINT: FLAT

BASE SECTION JOINT: FLAT

QC CHECK INITIALS:

DESCRIPTION: CB FLAT TOP 108"x108"x8"HT

CUSTOMER: CORE & MAIN LP (MURFREESBORO)

PROJECT: FRANKLIN SENIOR LIVING VAULT

STRUCTURE ID.: QL2 MV

SALES ORDER NO: 26-2773

CHECK: B. SMITH

DRAWING: J. HORSLEY

DATE: 09/18/26

SCALE: NTS

PG. 1 of 1