




Job Name: 26-3001 - Gunnison Way Grease Traps Job Location: Bowling Green, KY 42103 Contractor: Bowling Green Winsupply		Plant: Beaver Dam, KY 7/9/2026 10:36:28 AM	Tech: K. Cardwell PC: T. Lewis	
Structure ID: Grade Rings (3) P1 GR8		GRADE RING-SPECIAL F/F		
P1) 24" - GRADE RING-SPECIAL F/F - 8" 1) 24" - Conseal CS-102 1.00"		540 lb 0 lb ----- Structure Total: 540 lb	<u>Structure Notes:</u> 1. PER ASTM C-478 SPECIFICATIONS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT: (1) #3 HOOP CENTERED (GRADE 60) 4. LIFTERS: 2 EA. WRA016 CONAC WIRE ROPE ANCHORS FOR PLANT & FIELD HANDLING	
 2 EA. WRA016 CONAC WIRE ROPE ANCHORS FOR PLANT & FIELD HANDLING  ISOMETRIC VIEW PLAN VIEW (RIGHT SIDE UP)  (1) #3 HOOP CENTERED (GRADE 60) FRONT VIEW (RIGHT SIDE UP)				
Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Flat	Wall Thickness: 8"	Height (Ext): 8"	Weight (Net): 540 lb Volume (Net): 0.14cu.yd