







GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: PER ASTM A615 (GRADE 60). AS PER CONTECH FILTERRA DRAWINGS
4. WEIGHTS: TOTAL = 10,770 LBS
FIRST POUR = 3,263 LBS
SECOND POUR = 7,507 LBS
5. STRUCTURE TO HAVE INTERNALS INSTALLED BY ICAST.
6. INLET & OUTLET PIPE OPENINGS TO BE STENCILED ONTO THE OUTSIDE OF THE PRODUCT.
7. LIFT ANCHORS TO BE PLACED ON THE OUTSIDE OF THE STRUCTURE.
8. 4 EA. - 2"Ø PVC IRRIGATION CONDUITS PROVIDED BY ICAST. CAST-IN.
9. 8"Ø SDR 35 COUPLING PROVIDED BY OTHERS. CAST-IN.

FIRST POUR DRAWING





PRODUCTION WORK ORDER		PRODUCT I.D.: BX4896-06BAVF	DESCRIPTION: 48" X 96" X 48" TALL VAULT BASE	
	QUALITY CONTROL CHECKLIST		PRODUCT VIEW: RIGHT SIDE UP	
	☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ OPENING CORRECT LOCATION. ☐ REINFORCING CORRECT. ☐ SURFACE QUALITY ACCEPTABLE. ☐ EDGES CHAMFERED. ☐ ALL PATCHWORK ACCEPTABLE.		CUSTOMER: CONTECH ENGINEERING SOLUTIONS	
			PLANT: BEAVER DAM, KY.	
			PROJECT: 712373 CONSTRUCT URGENT CARE CLINIC	
			STRUCTURE: 15-FTBSVIB0404	
			ORDER NO: 26-3372	
		TOP SECTION JOINT: FLAT	PC: C. GOFF	
		BASE SECTION JOINT: N/A	DRAWING: S. FELLETER	
		QC CHECK INITIALS:	DATE: 08/24/26	SCALE: NTS PG. 1 of 1



GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: PER ASTM A615 (GRADE 60). AS PER CONTECH FILTERRA DRAWINGS
4. **WEIGHTS: TOTAL = 10,770 LBS**
FIRST POUR = 3,263 LBS
SECOND POUR = 7,507 LBS
5. STRUCTURE TO HAVE INTERNALS INSTALLED BY ICAST.
6. INLET & OUTLET PIPE OPENINGS TO BE STENCILED ONTO THE OUTSIDE OF THE PRODUCT.
7. LIFT ANCHORS TO BE PLACED ON THE OUTSIDE OF THE STRUCTURE.
8. 4 EA. - 2"Ø PVC IRRIGATION CONDUITS PROVIDED BY ICAST. CAST-IN.
9. 8"Ø SDR 35 COUPLING PROVIDED BY OTHERS. CAST-IN.

SECOND POUR DRAWING



PRODUCTION WORK ORDER		PRODUCT I.D.: BX4896-06BAVF	DESCRIPTION: 48" X 96" X 48" TALL VAULT BASE	
	QUALITY CONTROL CHECKLIST		PRODUCT VIEW: RIGHT SIDE UP	
	☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ OPENING CORRECT LOCATION. ☐ REINFORCING CORRECT. ☐ SURFACE QUALITY ACCEPTABLE. ☐ EDGES CHAMFERED. ☐ ALL PATCHWORK ACCEPTABLE.		CUSTOMER: CONTECH ENGINEERING SOLUTIONS	
			PLANT: BEAVER DAM, KY.	
			PROJECT: 712373 CONSTRUCT URGENT CARE CLINIC	
			STRUCTURE: 15-FTBSVIB0404	
			ORDER NO: 26-3372	
		TOP SECTION JOINT: FLAT	PC: C. GOFF	
		BASE SECTION JOINT: N/A	DRAWING: S. FELLETER	
		QC CHECK INITIALS:	DATE: 08/24/26	SCALE: NTS PG. 1 of 1

