



PLAN VIEW



SECTION A-A

- NOTES:**
1. MANUFACTURED TO ASTM C-478 (LATEST REVISION).
 2. CONCRETE: 5,000 PSI AT 28 DAYS.
 3. REINFORCING: USE STANDARD DESIGN-H20 (GRADE 60).

PRODUCTION WORK ORDER		PRODUCT I.D.: MH048LD07	DESCRIPTION: 48"Ø X 7" MANHOLE TOP SLAB W/24" ECC.
	QUALITY CONTROL CHECKLIST		CUSTOMER: CUST. NAME HERE
	<input type="checkbox"/> ALL DIMENSIONS CORRECT. <input type="checkbox"/> WIRE LIFT LOOPS INSTALLED. <input type="checkbox"/> HOLE LOCATION CORRECT. <input type="checkbox"/> REINFORCING CORRECT. <input type="checkbox"/> FLOATED FINISH ON TOP. <input type="checkbox"/> OUTSIDE TOP EDGE TROWELLED. <input type="checkbox"/> 3/4" RECESS INSTALLED.		PROJECT: PROJECT NAME HERE
	PRODUCT VIEW: RIGHT SIDE UP		STRUCTURE I.D.: STRUCTURE I.D. HERE
	PLANT: BEAVER DAM, KY.		QUOTE/ORDER NO: SO # HERE
	WEIGHT: 1,200 LBS.		PC: J.H. ROSS, PE
TOP SECTION JOINT: N/A		DRAWING: N. RICHARDS	
BASE SECTION JOINT: RECESS		DATE: 04/19/21	
QC CHECK INITIALS:		SCALE: NTS	
		PG. 1 of 1	