

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	<u>229</u> LBS
CEMENT	935		935	970	LBS	<u>940</u> LBS
SAND	2070		2110	2150	LBS	<u>2103</u> LBS
ROCK	2820		2875	2930	LBS	<u>2820</u> LBS
AIR	4.9		5	5.1	OZ	<u>4</u> OZ
2000SCC	89.3		92	94.7	OZ	<u>92</u> OZ
WATER 80%	41.8		43	44.2	GAL	<u>45</u> GAL
WATER 20%	10.7		11	11.3	GAL	<u>0</u> GAL
ACCELERATOR	1.0		1.00	1.0	GAL	<u>0</u> GAL
RETARDER	0.0		0.00	0.0	OZ	<u>0</u> OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

88 Batches

149.6 YDS

+ 24.1 YDS

173.7 YDS

50 REG

25 EHE

11 HOT

2 GRT

12360
108127
74.8
3.4

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2104 LBS
ROCK	2820		2875	2930	LBS	2910 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	230 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2125 LBS
ROCK	2820		2875	2930	LBS	2850 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	90 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	12 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	LBS
CEMENT	935		935	970	LBS	LBS
SAND	2070		2110	2150	LBS	LBS
ROCK	2820		2875	2930	LBS	LBS
AIR	4.9		5	5.1	OZ	OZ
2000SCC	89.3		92	94.7	OZ	OZ
WATER 80%	41.8		43	44.2	GAL	GAL
WATER 20%	10.7		11	11.3	GAL	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	GAL
RETARDER	0.0		0.00	0.0	OZ	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL	
FLY ASH	220		220	225	LBS		228	LBS
CEMENT	935		935	970	LBS		940	LBS
SAND	2070		2110	2150	LBS		2092	LBS
ROCK	2820		2875	2930	LBS		2840	LBS
AIR	4.9		5	5.1	OZ		4	OZ
2000SCC	89.3		92	94.7	OZ		92	OZ
WATER 80%	41.8		43	44.2	GAL		45	GAL
WATER 20%	10.7		11	11.3	GAL		0	GAL
ACCELERATOR	1.0		1.00	1.0	GAL		0	GAL
RETARDER	0.0		0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	944	LBS
SAND	2070	2110	2150	LBS	1924	LBS
ROCK	2820	2875	2930	LBS	2877	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL		
FLY ASH	220		220	225	LBS	224	LBS
CEMENT	935		935	970	LBS	944	LBS
SAND	2070		2110	2150	LBS	2002	LBS
ROCK	2820		2875	2930	LBS	2829	LBS
AIR	4.9		5	5.1	OZ	7	OZ
2000SCC	89.3		92	94.7	OZ	90	OZ
WATER 80%	41.8		43	44.2	GAL	43	GAL
WATER 20%	10.7		11	11.3	GAL	9	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9	GAL
RETARDER	0.0		0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	LBS
CEMENT	935		935	970	LBS	LBS
SAND	2070		2110	2150	LBS	LBS
ROCK	2820		2875	2930	LBS	LBS
AIR	4.9		5	5.1	OZ	OZ
2000SCC	89.3		92	94.7	OZ	OZ
WATER 80%	41.8		43	44.2	GAL	GAL
WATER 20%	10.7		11	11.3	GAL	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	GAL
RETARDER	0.0		0.00	0.0	OZ	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	228 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2053 LBS
ROCK	2820		2875	2930	LBS	2818 LBS
AIR	4.9		5	5.1	OZ	7 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	2 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	2 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	228 LBS
CEMENT	935		935	970	LBS	944 LBS
SAND	2070		2110	2150	LBS	2012 LBS
ROCK	2820		2875	2930	LBS	2820 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

1.1
8/18/2008

YARDS

DATE

AREA

BATCH NO.

1.1250

SAND MOISTURE

3.00%

ROCK MOISTURE

RETARDER	0	0.00
ACCELERATOR	1	0.00
WATER	0.45	0.00
ROCK	1.00	0.00
CEMENT	1.00	0.00
FLY ASH	1.00	0.00

WATER

CEMENT

ACTUAL

TARGET

RETARDER	0.00	0.00	0.00	0.00	0.00	0.00
ACCELERATOR	1.00	1.00	1.00	1.00	1.00	1.00
WATER	0.45	0.45	0.45	0.45	0.45	0.45
ROCK	1.00	1.00	1.00	1.00	1.00	1.00
CEMENT	1.00	1.00	1.00	1.00	1.00	1.00
FLY ASH	1.00	1.00	1.00	1.00	1.00	1.00

TOTAL BY BATCH WEIGHT

2140

WATER

WATER ADDED

TOTAL CEMENTitious

1.125

INITIAL

--

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	224 LBS
CEMENT	935		935	970	LBS	947 LBS
SAND	2070		2110	2150	LBS	2021 LBS
ROCK	2820		2875	2930	LBS	2818 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

RETARDER	0	0.00%
ACCELERATOR	1	0.00%
WATER	0.43	0.00%
3000SCC	8.00	0.00%
AIR	0.42	0.00%
ROCK	1880	0.00%
SAND	2220	0.00%
CEMENT	820	0.00%
FLY ASH	130	0.00%

MIX DESIGN

WATER

YARDS:

1.7

DATE:

8/18/2028

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

RETARDER	0.00	0.00	0.00	0.00
ACCELERATOR	1.00	1.00	1.00	1.00
WATER 20%	10.7	11	11.3	11.3
WATER 80%	41.8	43	44.2	44.2
3000SCC	89.3	92	94.7	94.7
AIR	4.9	5	5.1	5.1
ROCK	2820	2875	2930	2930
SAND	5070	5110	5150	5150
CEMENT	935	935	970	970
FLY ASH	520	520	525	525

TARGET

+

ACTUAL

TOTAL DRY BATCH WEIGHT

6140

TOTAL CEMENTIOUS

1152

WATER

WATER ADDED

INITIAL

HOT / COLD

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1230	LBS/YD^3
ROCK	1700	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.36	LBS/WT
Accelerator	0	OZ/CWT
ConBlock CDA Red	63	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

PINK

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

	-	TARGET	+		ACTUAL	
FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2090	2130	2170	LBS	2100	LBS
ROCK	2835	2890	2945	LBS	2920	LBS
AIR	3.9	4	4.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	35.0	36	37.0	GAL	45	GAL
WATER 20%	8.8	9	9.2	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
CDA RED	705.9	727.65	749.4	OZ	875	OZ

TOTAL DRY BATCH WEIGHT

6175

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

Place CDA RED as the last ingredient approximately 1 minute before the end of the mixing cycle....

MIX DESIGN #VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1230	LBS/YD^3
ROCK	1700	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.36	LBS/WT
Accelerator	0	OZ/CWT
ConBlock CDA Red	63	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

PINK

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- **TARGET** +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2090	2130	2170	LBS	2020	LBS
ROCK	2835	2890	2945	LBS	2800	LBS
AIR	3.9	4	4.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	35.0	36	37.0	GAL	45	GAL
WATER 20%	8.8	9	9.2	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
CDA RED	705.9	727.65	749.4	OZ	875	OZ

TOTAL DRY BATCH WEIGHT

6175

WATER

HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1155

INITIAL _____

Place CDA RED as the last ingredient approximately 1 minute before the end of the mixing cycle....

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY*pink*

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	<i>230</i> LBS
CEMENT	935		935	970	LBS	<i>940</i> LBS
SAND	2070		2110	2150	LBS	<i>2020</i> LBS
ROCK	2820		2875	2930	LBS	<i>2910</i> LBS
AIR	4.9		5	5.1	OZ	<i>4</i> OZ
2000SCC	89.3		92	94.7	OZ	<i>92</i> OZ
WATER 80%	41.8		43	44.2	GAL	<i>48</i> GAL
WATER 20%	10.7		11	11.3	GAL	<i>0</i> GAL
ACCELERATOR	1.0		1.00	1.0	GAL	<i>0</i> GAL
RETARDER	0.0		0.00	0.0	OZ	<i>0</i> OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY*Pmk*

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS		<i>229</i>	LBS
CEMENT	935	935	970	LBS		<i>940</i>	LBS
SAND	2070	2110	2150	LBS		<i>2090</i>	LBS
ROCK	2820	2875	2930	LBS		<i>2890</i>	LBS
AIR	4.9	5	5.1	OZ		<i>4</i>	OZ
2000SCC	89.3	92	94.7	OZ		<i>92</i>	OZ
WATER 80%	41.8	43	44.2	GAL		<i>48</i>	GAL
WATER 20%	10.7	11	11.3	GAL		<i>0</i>	GAL
ACCELERATOR	1.0	1.00	1.0	GAL		<i>0</i>	GAL
RETARDER	0.0	0.00	0.0	OZ		<i>0</i>	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY*pnk*

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	<i>229</i>	LBS
CEMENT	935	935	970	LBS	<i>940</i>	LBS
SAND	2070	2110	2150	LBS	<i>2022</i>	LBS
ROCK	2820	2875	2930	LBS	<i>2819</i>	LBS
AIR	4.9	5	5.1	OZ	<i>4</i>	OZ
2000SCC	89.3	92	94.7	OZ	<i>92</i>	OZ
WATER 80%	41.8	43	44.2	GAL	<i>43</i>	GAL
WATER 20%	10.7	11	11.3	GAL	<i>0</i>	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	<i>0</i>	GAL
RETARDER	0.0	0.00	0.0	OZ	<i>0</i>	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

pink

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	230 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2091 LBS
ROCK	2820		2875	2930	LBS	2910 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	43 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

~~GREY~~

p mk

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	948 LBS
SAND	2070		2110	2150	LBS	2081 LBS
ROCK	2820		2875	2930	LBS	2820 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	43 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

Pak

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2011	LBS
ROCK	2820	2875	2930	LBS	2880	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	10	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	1	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS		229	LBS
CEMENT	935	935	970	LBS		940	LBS
SAND	2070	2110	2150	LBS		2090	LBS
ROCK	2820	2875	2930	LBS		2880	LBS
AIR	4.9	5	5.1	OZ		4	OZ
2000SCC	89.3	92	94.7	OZ		92	OZ
WATER 80%	41.8	43	44.2	GAL		43	GAL
WATER 20%	10.7	11	11.3	GAL		0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL		0	GAL
RETARDER	0.0	0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL		
FLY ASH	220		220	225	LBS	228	LBS
CEMENT	935		935	970	LBS	940	LBS
SAND	2070		2110	2150	LBS	2060	LBS
ROCK	2820		2875	2930	LBS	2820	LBS
AIR	4.9		5	5.1	OZ	4	OZ
2000SCC	89.3		92	94.7	OZ	92	OZ
WATER 80%	41.8		43	44.2	GAL	43	GAL
WATER 20%	10.7		11	11.3	GAL	11	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1	GAL
RETARDER	0.0		0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2080	LBS
ROCK	2820	2875	2930	LBS	2960	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	228 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2090 LBS
ROCK	2820		2875	2930	LBS	2820 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	42 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS		<i>229</i>	LBS
CEMENT	935	935	970	LBS		<i>940</i>	LBS
SAND	2070	2110	2150	LBS		<i>2010</i>	LBS
ROCK	2820	2875	2930	LBS		<i>2849</i>	LBS
AIR	4.9	5	5.1	OZ		<i>4</i>	OZ
2000SCC	89.3	92	94.7	OZ		<i>92</i>	OZ
WATER 80%	41.8	43	44.2	GAL		<i>42</i>	GAL
WATER 20%	10.7	11	11.3	GAL		<i>0</i>	GAL
ACCELERATOR	1.0	1.00	1.0	GAL		<i>0</i>	GAL
RETARDER	0.0	0.00	0.0	OZ		<i>0</i>	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	LBS
CEMENT	935		935	970	LBS	LBS
SAND	2070		2110	2150	LBS	LBS
ROCK	2820		2875	2930	LBS	LBS
AIR	4.9		5	5.1	OZ	OZ
2000SCC	89.3		92	94.7	OZ	OZ
WATER 80%	41.8		43	44.2	GAL	GAL
WATER 20%	10.7		11	11.3	GAL	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	GAL
RETARDER	0.0		0.00	0.0	OZ	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS		<i>229</i>	LBS
CEMENT	935	935	970	LBS		<i>940</i>	LBS
SAND	2070	2110	2150	LBS		<i>2070</i>	LBS
ROCK	2820	2875	2930	LBS		<i>2900</i>	LBS
AIR	4.9	5	5.1	OZ		<i>4</i>	OZ
2000SCC	89.3	92	94.7	OZ		<i>92</i>	OZ
WATER 80%	41.8	43	44.2	GAL		<i>42</i>	GAL
WATER 20%	10.7	11	11.3	GAL		<i>2</i>	GAL
ACCELERATOR	1.0	1.00	1.0	GAL		<i>2</i>	GAL
RETARDER	0.0	0.00	0.0	OZ		<i>0</i>	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	LBS
CEMENT	935		935	970	LBS	LBS
SAND	2070		2110	2150	LBS	LBS
ROCK	2820		2875	2930	LBS	LBS
AIR	4.9		5	5.1	OZ	OZ
2000SCC	89.3		92	94.7	OZ	OZ
WATER 80%	41.8		43	44.2	GAL	GAL
WATER 20%	10.7		11	11.3	GAL	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	GAL
RETARDER	0.0		0.00	0.0	OZ	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	<u>228</u>	LBS
CEMENT	935	935	970	LBS	<u>940</u>	LBS
SAND	2070	2110	2150	LBS	<u>2080</u>	LBS
ROCK	2820	2875	2930	LBS	<u>2890</u>	LBS
AIR	4.9	5	5.1	OZ	<u>4</u>	OZ
2000SCC	89.3	92	94.7	OZ	<u>92</u>	OZ
WATER 80%	41.8	43	44.2	GAL	<u>42</u>	GAL
WATER 20%	10.7	11	11.3	GAL	<u>2</u>	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	<u>2</u>	GAL
RETARDER	0.0	0.00	0.0	OZ	<u>0</u>	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2001	LBS
ROCK	2820	2875	2930	LBS	2838	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	42	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2070	LBS
ROCK	2820	2875	2930	LBS	2820	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	42	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIN DESIGN	IN VOLUME	
RETARDER	0.0	0.0000
ACCELERATOR	1	0.0000
WATER	0.0	0.0000
ADDITION	0.0	0.0000
AIR	0.0	0.0000
ROCK	1.0	1.0000
SAND	1.0	1.0000
CEMENT	0.0	0.0000
FLY ASH	0.0	0.0000

YARD:	1.1
DATE:	1/18/2022
BATCH #:	0000

ROCK MOISTURE	0.0000
---------------	--------

SAND MOISTURE	0.0000
---------------	--------

ACTUAL	TARGET					
RETARDER	0.0	0.0000	0.0	0.0000	0.0	0.0000
ACCELERATOR	1.0	1.0000	1.0	1.0000	1.0	1.0000
WATER 20%	1.0	1.0000	1.0	1.0000	1.0	1.0000
WATER 20%	1.0	1.0000	1.0	1.0000	1.0	1.0000
ADDITION	0.0	0.0000	0.0	0.0000	0.0	0.0000
AIR	0.0	0.0000	0.0	0.0000	0.0	0.0000
ROCK	1.0	1.0000	1.0	1.0000	1.0	1.0000
SAND	1.0	1.0000	1.0	1.0000	1.0	1.0000
CEMENT	0.0	0.0000	0.0	0.0000	0.0	0.0000
FLY ASH	0.0	0.0000	0.0	0.0000	0.0	0.0000

TOTAL DRY BATCH WEIGHT	6140
------------------------	------

TOTAL CEMENTitious	1322
--------------------	------

WATER	10.0
WATER ADDED	10.0
WATER	10.0

--	--

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	228 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2081 LBS
ROCK	2820		2875	2930	LBS	2910 LBS
AIR	4.9		5	5.1	OZ	7 OZ
2000SCC	89.3		92	94.7	OZ	82 OZ
WATER 80%	41.8		43	44.2	GAL	43 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

1.7
 6/18/2022

VARIATION
 DATE
 BATCH NO.

GREY

MIX DESIGN	AVG	STD
FLY ASH	130	18.7
CEMENT	280	18.7
SAND	1310	18.7
ROCK	1000	18.7
AIR	0.15	0.00
WATER	8.00	0.00
WATER REDUCER	0.00	0.00
ADDITIONAL	0.00	0.00
RETARDER	0.00	0.00

1.25%

SAND MOISTURE


0.00%

ROCK MOISTURE

ACTUAL	TARGET	STD	AVG	STD	AVG	STD	AVG
18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7
18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7
18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7
18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WATER
 WATER ADDED
 INITIAL

TOTAL DRY BATCH WEIGHT
 2100
 TOTAL CEMENTitious
 1100



MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2039	LBS
ROCK	2820	2875	2930	LBS	2826	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2091	LBS
ROCK	2820	2875	2930	LBS	2814	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	<i>229</i>	LBS
CEMENT	935	935	970	LBS	<i>940</i>	LBS
SAND	2070	2110	2150	LBS	<i>2070</i>	LBS
ROCK	2820	2875	2930	LBS	<i>2880</i>	LBS
AIR	4.9	5	5.1	OZ	<i>7</i>	OZ
2000SCC	89.3	92	94.7	OZ	<i>92</i>	OZ
WATER 80%	41.8	43	44.2	GAL	<i>43</i>	GAL
WATER 20%	10.7	11	11.3	GAL	<i>0</i>	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	<i>0</i>	GAL
RETARDER	0.0	0.00	0.0	OZ	<i>0</i>	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2001	LBS
ROCK	2820	2875	2930	LBS	2820	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	11	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	1	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2080	LBS
ROCK	2820	2875	2930	LBS	2890	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	98	OZ
WATER 80%	41.8	43	44.2	GAL	90	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2021	LBS
ROCK	2820	2875	2930	LBS	2900	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2000	LBS
ROCK	2820	2875	2930	LBS	2910	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	12	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	2	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	970	LBS
SAND	2070	2110	2150	LBS	2021	LBS
ROCK	2820	2875	2930	LBS	2840	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2021 LBS
ROCK	2820		2875	2930	LBS	2910 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	43 GAL
WATER 20%	10.7		11	11.3	GAL	10 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS		230	LBS
CEMENT	935	935	970	LBS		941	LBS
SAND	2070	2110	2150	LBS		2032	LBS
ROCK	2820	2875	2930	LBS		2860	LBS
AIR	4.9	5	5.1	OZ		4	OZ
2000SCC	89.3	92	94.7	OZ		92	OZ
WATER 80%	41.8	43	44.2	GAL		43	GAL
WATER 20%	10.7	11	11.3	GAL		0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL		0	GAL
RETARDER	0.0	0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	230 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2090 LBS
ROCK	2820		2875	2930	LBS	2890 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	43 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2080	LBS
ROCK	2820	2875	2930	LBS	2880	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	42	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	2	GAL
RETARDER	0.0	0.00	0.0	OZ	2	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL
FLY ASH	220		220	225	LBS		<i>229</i> LBS
CEMENT	935		935	970	LBS		<i>940</i> LBS
SAND	2070		2110	2150	LBS		<i>2091</i> LBS
ROCK	2820		2875	2930	LBS		<i>2890</i> LBS
AIR	4.9		5	5.1	OZ		<i>4</i> OZ
2000SCC	89.3		92	94.7	OZ		<i>92</i> OZ
WATER 80%	41.8		43	44.2	GAL		<i>42</i> GAL
WATER 20%	10.7		11	11.3	GAL		<i>0</i> GAL
ACCELERATOR	1.0		1.00	1.0	GAL		<i>0</i> GAL
RETARDER	0.0		0.00	0.0	OZ		<i>0</i> OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	944 LBS
SAND	2070		2110	2150	LBS	2041 LBS
ROCK	2820		2875	2930	LBS	2860 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	42 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	230 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2090 LBS
ROCK	2820		2875	2930	LBS	2870 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	42 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	225	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2080	LBS
ROCK	2820	2875	2930	LBS	2870	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	42	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	946	LBS
SAND	2070	2110	2150	LBS	2010	LBS
ROCK	2820	2875	2930	LBS	2910	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	42	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL
FLY ASH	220		220	225	LBS		<i>229</i> LBS
CEMENT	935		935	970	LBS		<i>948</i> LBS
SAND	2070		2110	2150	LBS		<i>2071</i> LBS
ROCK	2820		2875	2930	LBS		<i>2890</i> LBS
AIR	4.9		5	5.1	OZ		<i>4</i> OZ
2000SCC	89.3		92	94.7	OZ		<i>92</i> OZ
WATER 80%	41.8		43	44.2	GAL		<i>42</i> GAL
WATER 20%	10.7		11	11.3	GAL		<i>9</i> GAL
ACCELERATOR	1.0		1.00	1.0	GAL		<i>2</i> GAL
RETARDER	0.0		0.00	0.0	OZ		<i>0</i> OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL
FLY ASH	220		220	225	LBS		229 LBS
CEMENT	935		935	970	LBS		940 LBS
SAND	2070		2110	2150	LBS		2001 LBS
ROCK	2820		2875	2930	LBS		2872 LBS
AIR	4.9		5	5.1	OZ		4 OZ
2000SCC	89.3		92	94.7	OZ		92 OZ
WATER 80%	41.8		43	44.2	GAL		42 GAL
WATER 20%	10.7		11	11.3	GAL		9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL		9 GAL
RETARDER	0.0		0.00	0.0	OZ		0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/17/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00

gal

0.00

SAND MOISTURE 1.71%

18.64

#VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1442	LBS
SAND	1850	1885	1920	LBS	1810	LBS
ROCK	2515	2565	2615	LBS	2536	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	47	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1435

INITIAL

FORIX FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/17/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1442	LBS
SAND	1850	1885	1920	LBS	1801	LBS
ROCK	2515	2565	2615	LBS	2591	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	0.2	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1435

INITIAL

FORIX FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/17/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00

gal

0.00

SAND MOISTURE 1.71%

18.64

#VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1432	LBS
SAND	1850	1885	1920	LBS	1790	LBS
ROCK	2515	2565	2615	LBS	2562	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	47	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1435

INITIAL

FORIX FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/17/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1442	LBS
SAND	1850	1885	1920	LBS	1791	LBS
ROCK	2515	2565	2615	LBS	2505	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	42	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1435

INITIAL

FORIX FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/17/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00

gal

0.00

SAND MOISTURE 1.71%

18.64

#VALUE!

- TARGET +

ACTUAL

FLY ASH	0	0	0	LBS		0	LBS
CEMENT	1435	1435	1490	LBS		1448	LBS
SAND	1850	1885	1920	LBS		1772	LBS
ROCK	2515	2565	2615	LBS		2526	LBS
AIR	7.8	8	8.2	OZ		8	OZ
2000SCC	125.2	129	132.8	OZ		129	OZ
WATER 80%	0.0	0	0.0	GAL		42	GAL
WATER 20%	0.0	0	0.0	GAL		0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL		1.0	GAL
RETARDER	0.0	0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER **HOT** / **COLD**

WATER ADDED _____

TOTAL CEMENTICIOUS

1435

INITIAL _____

FORIX FIRST POUR

MIX DESIGN	#	VALUE!
FLY ASH	250	LBS/YD^3
CEMENT	725	LBS/YD^3
SAND	2500	LBS/YD^3
ROCK	0	LBS/YD^3
AIR	0.00	OZ/CWT
2000SCC	0.00	OZ/CWT
WATER	0.39	LBS/WT
ACCELERATOR	0	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

~~1.00~~

1.7

DATE:

8/17/2026

BATCH #:

Grout

ROCK MOISTURE

0.00%

SAND MOISTURE

7.80%

		-	TARGET	+		ACTUAL	
FLY ASH	250		250	260	LBS	43	LBS
CEMENT	725		725	750	LBS	1240	LBS
SAND	2645		2695	2745	LBS	4240	LBS
ROCK	0		0	0	LBS	0	LBS
AIR	0		0	0	OZ	0	OZ
2000SCC	0		0	0	OZ	0	OZ
WATER 80%	15.6		16	16.4	GAL	6	GAL
WATER 20%	3.9		4	4.1	GAL	0	GAL
ACCELERATOR	0.0		0.00	0.0	GAL	0	GAL
RETARDER	0.0		0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

3670

WATER

HOT / COLD

TOTAL CEMENTICIOUS

975

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	250	LBS/YD^3
CEMENT	725	LBS/YD^3
SAND	2500	LBS/YD^3
ROCK	0	LBS/YD^3
AIR	0.00	OZ/CWT
2000SCC	0.00	OZ/CWT
WATER	0.39	LBS/WT
ACCELERATOR	0	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

~~1.00~~

1.70

DATE:

8/17/2026

BATCH #:

Grout

ROCK MOISTURE

0.00%

SAND MOISTURE

7.80%

- TARGET +

ACTUAL

FLY ASH	250	250	260	LBS	430	LBS
CEMENT	725	725	750	LBS	1240	LBS
SAND	2645	2695	2745	LBS	4280	LBS
ROCK	0	0	0	LBS	0	LBS
AIR	0	0	0	OZ	0	OZ
2000SCC	0	0	0	OZ	0	OZ
WATER 80%	15.6	16	16.4	GAL	0	GAL
WATER 20%	3.9	4	4.1	GAL	0	GAL
ACCELERATOR	0.0	0.00	0.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

3670

WATER

HOT / COLD

TOTAL CEMENTICIOUS

975

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	0	LBS
CEMENT	935	935	970	LBS	1099	LBS
SAND	2070	2110	2150	LBS	2138	LBS
ROCK	2820	2875	2930	LBS	2900	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	87	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

88 bags
149.60 Nmb

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL
FLY ASH	220		220	225	LBS		0 LBS
CEMENT	935		935	970	LBS		1098 LBS
SAND	2070		2110	2150	LBS		2100 LBS
ROCK	2820		2875	2930	LBS		2920 LBS
AIR	4.9		5	5.1	OZ		4 OZ
2000SCC	89.3		92	94.7	OZ		87 OZ
WATER 80%	41.8		43	44.2	GAL		45 GAL
WATER 20%	10.7		11	11.3	GAL		9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL		9 GAL
RETARDER	0.0		0.00	0.0	OZ		0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN			VALUE
RETARDER	0	0.00%	0.00%
ACCELERATOR	1	0.42	0.42
WATER	18.5	0.42	0.42
3000SCC	8.00	0.42	0.42
AIR	0.42	0.42	0.42
ROCK	18.5	0.42	0.42
SAND	12.5	0.42	0.42
CEMENT	5.5	0.42	0.42
FLY ASH	1.0	0.42	0.42

YARDS: 1.7

DATE: 8/18/2025

BATCH #: GREY

ROCK MOISTURE 0.00%

SAND MOISTURE 1.75%

ACTUAL		+ TARGET		-	
RETARDER	0.00	0.00	0.00	0.00	0.00
ACCELERATOR	1.00	1.00	1.00	1.00	1.00
WATER 50%	10.7	11	11.3	11.3	11.3
WATER 80%	41.8	43	44.5	44.5	44.5
3000SCC	80.3	92	94.7	94.7	94.7
AIR	4.9	2	2.1	2.1	2.1
ROCK	28.50	28.75	29.30	29.30	29.30
SAND	20.70	21.10	21.80	21.80	21.80
CEMENT	9.35	9.35	9.70	9.70	9.70
FLY ASH	2.50	2.50	2.55	2.55	2.55

TOTAL DRY BATCH WEIGHT 6140

TOTAL CEMENTIOUS 1155

WATER HOT / COLD

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +					ACTUAL	
FLY ASH	220	220	225	LBS	0	LBS
CEMENT	935	935	970	LBS	1098	LBS
SAND	2070	2110	2150	LBS	2093	LBS
ROCK	2820	2875	2930	LBS	2880	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	87	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

1.7
8/1/2008

VALUE

DATE

GREY

CATCH W

WATER	WATER	WATER
1.50	1.50	1.50
2.50	2.50	2.50
1.50	1.50	1.50
1.50	1.50	1.50
0.50	0.50	0.50
0.50	0.50	0.50
0.50	0.50	0.50
0.50	0.50	0.50
0.50	0.50	0.50
0.50	0.50	0.50

1.75%

WATER MOISTURE

0.00%

WATER MOISTURE

WATER	WATER	WATER	WATER	WATER	WATER	WATER
1.50	1.50	1.50	1.50	1.50	1.50	1.50
2.50	2.50	2.50	2.50	2.50	2.50	2.50
1.50	1.50	1.50	1.50	1.50	1.50	1.50
1.50	1.50	1.50	1.50	1.50	1.50	1.50
0.50	0.50	0.50	0.50	0.50	0.50	0.50
0.50	0.50	0.50	0.50	0.50	0.50	0.50
0.50	0.50	0.50	0.50	0.50	0.50	0.50
0.50	0.50	0.50	0.50	0.50	0.50	0.50
0.50	0.50	0.50	0.50	0.50	0.50	0.50
0.50	0.50	0.50	0.50	0.50	0.50	0.50

WATER

0.00

WATER ADDED

0.00

WATER

0.00

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

	-	TARGET	+		ACTUAL	
FLY ASH	220	220	225	LBS	0	LBS
CEMENT	935	935	970	LBS	1094	LBS
SAND	2070	2110	2150	LBS	2100	LBS
ROCK	2820	2875	2930	LBS	2920	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	87	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	0 LBS
CEMENT	935		935	970	LBS	1096 LBS
SAND	2070		2110	2150	LBS	2084 LBS
ROCK	2820		2875	2930	LBS	240 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	81 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	2 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	2 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1098	LBS
SAND	0	0	LBS		2070	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		2124	LBS
ROCK	2905	2960	LBS		2900	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		2114	LBS
ROCK	2905	2960	LBS		2938	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		2	GAL
ACCELERATOR	0.0	1.00	GAL		2	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREYROCK MOISTURE **0.00%**SAND **1.75%**

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2084	LBS
ROCK	2905	2960	LBS		2920	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN

#VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2109	LBS
ROCK	2905	2960	LBS		2879	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1088	LBS
SAND	0	0	LBS		2087	LBS
ROCK	2905	2960	LBS		2900	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		MS	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		2113	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		2	GAL
ACCELERATOR	0.0	1.00	GAL		2	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2095	LBS
ROCK	2905	2960	LBS		2890	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		48	GAL
WATER 20%	0.0	0	GAL		9	GAL
ACCELERATOR	0.0	1.00	GAL		9	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2100	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		48	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2023	LBS
ROCK	2905	2960	LBS		2900	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1029	LBS
SAND	0	0	LBS		2103	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		2104	LBS
ROCK	2905	2960	LBS		2920	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2127	LBS
ROCK	2905	2960	LBS		2960	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2023	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		0.5	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN

#VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2153	LBS
ROCK	2905	2960	LBS		2960	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		92	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2063	LBS
ROCK	2905	2960	LBS		2890	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		48	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		2	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1098	LBS
SAND	0	0	LBS		2142	LBS
ROCK	2905	2960	LBS		2808	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		40	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		9	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

61 %

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2022	LBS
ROCK	2905	2960	LBS		2890	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		40	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1088	LBS
SAND	0	0	LBS		2010	LBS
ROCK	2905	2960	LBS		2900	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		40	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREYROCK MOISTURE **0.00%**SAND **1.75%**

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		1923	LBS
ROCK	2905	2960	LBS		2828	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		43	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM