

MIX DESIGN	#	VALUE
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+		ACTUAL	
FLY ASH	220		220	225	LBS	229	LBS
CEMENT	935		935	970	LBS	940	LBS
SAND	2070		2110	2150	LBS	2082	LBS
ROCK	2820		2875	2930	LBS	2901	LBS
AIR	4.9		5	5.1	OZ	4	OZ
2000SCC	89.3		92	94.7	OZ	92	OZ
WATER 80%	41.8		43	44.2	GAL	43	GAL
WATER 20%	10.7		11	11.3	GAL	0	GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0	GAL
RETARDER	0.0		0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

94 Batches

159.8 yds
+ 24.1 yds
183.9

12400
113038
78.6
3.5

52 REG
33 EHE
8 HOT
1 GRT

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

	-	TARGET	+		ACTUAL	
FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	945	LBS
SAND	2070	2110	2150	LBS	2103	LBS
ROCK	2820	2875	2930	LBS	2810	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL	
FLY ASH	220		220	225	LBS		229	LBS
CEMENT	935		935	970	LBS		943	LBS
SAND	2070		2110	2150	LBS		2122	LBS
ROCK	2820		2875	2930	LBS		2820	LBS
AIR	4.9		5	5.1	OZ		4	OZ
2000SCC	89.3		92	94.7	OZ		92	OZ
WATER 80%	41.8		43	44.2	GAL		43	GAL
WATER 20%	10.7		11	11.3	GAL		0	GAL
ACCELERATOR	1.0		1.00	1.0	GAL		0	GAL
RETARDER	0.0		0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2103 LBS
ROCK	2820		2875	2930	LBS	2849 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	43 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	935	LBS
SAND	2070	2110	2150	LBS	2124	LBS
ROCK	2820	2875	2930	LBS	2859	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	8	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	949	LBS
SAND	2070	2110	2150	LBS	2143	LBS
ROCK	2820	2875	2930	LBS	2900	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL
FLY ASH	220		220	225	LBS		230 LBS
CEMENT	935		935	970	LBS		940 LBS
SAND	2070		2110	2150	LBS		2142 LBS
ROCK	2820		2875	2930	LBS		2811 LBS
AIR	4.9		5	5.1	OZ		4 OZ
2000SCC	89.3		92	94.7	OZ		92 OZ
WATER 80%	41.8		43	44.2	GAL		43 GAL
WATER 20%	10.7		11	11.3	GAL		0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL		0 GAL
RETARDER	0.0		0.00	0.0	OZ		0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2147	LBS
ROCK	2820	2875	2930	LBS	2890	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2132	LBS
ROCK	2820	2875	2930	LBS	2870	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2142	LBS
ROCK	2820	2875	2930	LBS	2880	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2112 LBS
ROCK	2820		2875	2930	LBS	2920 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	90 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	12 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

1

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2082	LBS
ROCK	2820	2875	2930	LBS	2840	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	10	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	1	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	230 LBS
CEMENT	935		935	970	LBS	941 LBS
SAND	2070		2110	2150	LBS	2073 LBS
ROCK	2820		2875	2930	LBS	2851 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	2 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2063	LBS
ROCK	2820	2875	2930	LBS	2910	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	43	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2102	LBS
ROCK	2820	2875	2930	LBS	2890	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	48	GAL
WATER 20%	10.7	11	11.3	GAL	2	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2133	LBS
ROCK	2820	2875	2930	LBS	2810	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	12	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	945 LBS
SAND	2070		2110	2150	LBS	2143 LBS
ROCK	2820		2875	2930	LBS	2820 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	10 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2083	LBS
ROCK	2820	2875	2930	LBS	2870	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	946 LBS
SAND	2070		2110	2150	LBS	2132 LBS
ROCK	2820		2875	2930	LBS	2880 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	11 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	949	LBS
SAND	2070	2110	2150	LBS	2081	LBS
ROCK	2820	2875	2930	LBS	2800	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	98	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	<i>229</i> LBS
CEMENT	935		935	970	LBS	<i>940</i> LBS
SAND	2070		2110	2150	LBS	<i>2113</i> LBS
ROCK	2820		2875	2930	LBS	<i>2870</i> LBS
AIR	4.9		5	5.1	OZ	<i>4</i> OZ
2000SCC	89.3		92	94.7	OZ	<i>90</i> OZ
WATER 80%	41.8		43	44.2	GAL	<i>45</i> GAL
WATER 20%	10.7		11	11.3	GAL	<i>0</i> GAL
ACCELERATOR	1.0		1.00	1.0	GAL	<i>0</i> GAL
RETARDER	0.0		0.00	0.0	OZ	<i>0</i> OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	948	LBS
SAND	2070	2110	2150	LBS	2112	LBS
ROCK	2820	2875	2930	LBS	2800	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2124 LBS
ROCK	2820		2875	2930	LBS	2884 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS		229	LBS
CEMENT	935	935	970	LBS		940	LBS
SAND	2070	2110	2150	LBS		2063	LBS
ROCK	2820	2875	2930	LBS		2849	LBS
AIR	4.9	5	5.1	OZ		4	OZ
2000SCC	89.3	92	94.7	OZ		92	OZ
WATER 80%	41.8	43	44.2	GAL		45	GAL
WATER 20%	10.7	11	11.3	GAL		0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL		0	GAL
RETARDER	0.0	0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2002	LBS
ROCK	2820	2875	2930	LBS	2826	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2123	LBS
ROCK	2820	2875	2930	LBS	2838	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	98	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+			ACTUAL
FLY ASH	220		220	225	LBS		228 LBS
CEMENT	935		935	970	LBS		941 LBS
SAND	2070		2110	2150	LBS		2118 LBS
ROCK	2820		2875	2930	LBS		2880 LBS
AIR	4.9		5	5.1	OZ		4 OZ
2000SCC	89.3		92	94.7	OZ		92 OZ
WATER 80%	41.8		43	44.2	GAL		43 GAL
WATER 20%	10.7		11	11.3	GAL		11 GAL
ACCELERATOR	1.0		1.00	1.0	GAL		1 GAL
RETARDER	0.0		0.00	0.0	OZ		0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2062	LBS
ROCK	2820	2875	2930	LBS	2801	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	2	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS: **1.7**

DATE: **8/19/2026**

BATCH #: **GREY**

ROCK MOISTURE **0.00%**

SAND MOISTURE **1.75%**

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2102 LBS
ROCK	2820		2875	2930	LBS	2820 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT
6140

WATER **HOT / COLD**

TOTAL CEMENTICIOUS
1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	970 LBS
SAND	2070		2110	2150	LBS	2063 LBS
ROCK	2820		2875	2930	LBS	2870 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	10 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	1 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2062 LBS
ROCK	2820		2875	2930	LBS	2880 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	90 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN

#VALUE!

FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2090	LBS
ROCK	2820	2875	2930	LBS	2820	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	944 LBS
SAND	2070		2110	2150	LBS	2062 LBS
ROCK	2820		2875	2930	LBS	2890 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	98 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	0 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	0 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2112	LBS
ROCK	2820	2875	2930	LBS	2890	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	970	LBS
SAND	2070	2110	2150	LBS	2082	LBS
ROCK	2820	2875	2930	LBS	2870	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2023	LBS
ROCK	2820	2875	2930	LBS	2849	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	945	LBS
SAND	2070	2110	2150	LBS	2062	LBS
ROCK	2820	2875	2930	LBS	2890	LBS
AIR	4.9	5	5.1	OZ	7	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	2	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2113 LBS
ROCK	2820		2875	2930	LBS	2890 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	90 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

		-	TARGET	+	ACTUAL	
FLY ASH	220		220	225	LBS	229 LBS
CEMENT	935		935	970	LBS	940 LBS
SAND	2070		2110	2150	LBS	2103 LBS
ROCK	2820		2875	2930	LBS	2829 LBS
AIR	4.9		5	5.1	OZ	4 OZ
2000SCC	89.3		92	94.7	OZ	92 OZ
WATER 80%	41.8		43	44.2	GAL	45 GAL
WATER 20%	10.7		11	11.3	GAL	9 GAL
ACCELERATOR	1.0		1.00	1.0	GAL	9 GAL
RETARDER	0.0		0.00	0.0	OZ	0 OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2102	LBS
ROCK	2820	2875	2930	LBS	2820	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	990	LBS
SAND	2070	2110	2150	LBS	2043	LBS
ROCK	2820	2875	2930	LBS	2880	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	96	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2073	LBS
ROCK	2820	2875	2930	LBS	2920	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	40	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2092	LBS
ROCK	2820	2875	2930	LBS	2810	LBS
AIR	4.9	5	5.1	OZ	Y	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	2	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#	VALUE!
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2081	LBS
ROCK	2820	2875	2930	LBS	2920	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	90	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	2	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	2	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2103	LBS
ROCK	2820	2875	2930	LBS	2880	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2082	LBS
ROCK	2820	2875	2930	LBS	2910	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	940	LBS
CEMENT	935	935	970	LBS	229	LBS
SAND	2070	2110	2150	LBS	2083	LBS
ROCK	2820	2875	2930	LBS	2870	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	41	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	945	LBS
SAND	2070	2110	2150	LBS	2133	LBS
ROCK	2820	2875	2930	LBS	2870	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	2	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	2	GAL
RETARDER	0.0	0.00	0.0	OZ	8	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	229	LBS
CEMENT	935	935	970	LBS	945	LBS
SAND	2070	2110	2150	LBS	2083	LBS
ROCK	2820	2875	2930	LBS	2859	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	46	GAL
WATER 20%	10.7	11	11.3	GAL	12	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	2	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2088	LBS
ROCK	2820	2875	2930	LBS	2800	LBS
AIR	4.9	5	5.1	OZ	5	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1155

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	230	LBS
CEMENT	935	935	970	LBS	950	LBS
SAND	2070	2110	2150	LBS	2080	LBS
ROCK	2820	2875	2930	LBS	2900	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	9	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	9	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN	#VALUE!	
FLY ASH	130	LBS/YD^3
CEMENT	550	LBS/YD^3
SAND	1220	LBS/YD^3
ROCK	1690	LBS/YD^3
AIR	0.45	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	220	220	225	LBS	228	LBS
CEMENT	935	935	970	LBS	940	LBS
SAND	2070	2110	2150	LBS	2124	LBS
ROCK	2820	2875	2930	LBS	2840	LBS
AIR	4.9	5	5.1	OZ	4	OZ
2000SCC	89.3	92	94.7	OZ	92	OZ
WATER 80%	41.8	43	44.2	GAL	45	GAL
WATER 20%	10.7	11	11.3	GAL	0	GAL
ACCELERATOR	1.0	1.00	1.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

6140

WATER

HOT / COLD

TOTAL CEMENTICIOUS

1155

WATER ADDED _____

INITIAL _____

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1443	LBS
SAND	1850	1885	1920	LBS	1872	LBS
ROCK	2515	2565	2615	LBS	2582	LBS
AIR	7.8	8	8.2	OZ	9	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	45	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

TOTAL CEMENTICIOUS

1435

WATER ADDED

INITIAL

FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1444	LBS
SAND	1850	1885	1920	LBS	1863	LBS
ROCK	2515	2565	2615	LBS	2618	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	45	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

TOTAL CEMENTICIOUS

1435

WATER ADDED

INITIAL

FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00

gal

0.00

SAND MOISTURE 1.71%

18.64

#VALUE!

- TARGET +

ACTUAL

FLY ASH	0	0	0	LBS		0	LBS
CEMENT	1435	1435	1490	LBS		1438	LBS
SAND	1850	1885	1920	LBS		1842	LBS
ROCK	2515	2565	2615	LBS		2695	LBS
AIR	7.8	8	8.2	OZ		8	OZ
2000SCC	125.2	129	132.8	OZ		129	OZ
WATER 80%	0.0	0	0.0	GAL		45	GAL
WATER 20%	0.0	0	0.0	GAL		0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL		1.0	GAL
RETARDER	0.0	0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1435

INITIAL

FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1443	LBS
SAND	1850	1885	1920	LBS	1842	LBS
ROCK	2515	2565	2615	LBS	2533	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	4/5	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

TOTAL CEMENTICIOUS

1435

WATER ADDED _____

INITIAL _____

FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

0.00

gal

0.00

SAND MOISTURE

1.71%

18.64

#VALUE!

- **TARGET**

+

ACTUAL

FLY ASH	0	0	0	LBS		0	LBS
CEMENT	1435	1435	1490	LBS		1448	LBS
SAND	1850	1885	1920	LBS		1882	LBS
ROCK	2515	2565	2615	LBS		2546	LBS
AIR	7.8	8	8.2	OZ		8	OZ
2000SCC	125.2	129	132.8	OZ		129	OZ
WATER 80%	0.0	0	0.0	GAL		0.5	GAL
WATER 20%	0.0	0	0.0	GAL		0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL		1.0	GAL
RETARDER	0.0	0.00	0.0	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1435

INITIAL

FIRST POUR

MIX DESIGN

846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00

gal

0.00

SAND MOISTURE 1.71%

18.64

#VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1433	LBS
SAND	1850	1885	1920	LBS	1912	LBS
ROCK	2515	2565	2615	LBS	2598	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	45	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

TOTAL CEMENTICIOUS

1435

WATER ADDED _____

INITIAL _____

FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1453	LBS
SAND	1850	1885	1920	LBS	1843	LBS
ROCK	2515	2565	2615	LBS	2518	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	4.5	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

TOTAL CEMENTICIOUS

1435

WATER ADDED _____

INITIAL _____

FIRST POUR

MIX DESIGN 846 (9 Bag)

FLY ASH	0	LBS/YD^3
CEMENT	845	LBS/YD^3
SAND	1090	LBS/YD^3
ROCK	1510	LBS/YD^3
AIR	0.60	OZ/CWT
2000SCC	9.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/18/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

0.00 gal 0.00

SAND MOISTURE 1.71%

18.64 #VALUE!

	-	TARGET	+		ACTUAL	
FLY ASH	0	0	0	LBS	0	LBS
CEMENT	1435	1435	1490	LBS	1443	LBS
SAND	1850	1885	1920	LBS	1864	LBS
ROCK	2515	2565	2615	LBS	2508	LBS
AIR	7.8	8	8.2	OZ	8	OZ
2000SCC	125.2	129	132.8	OZ	129	OZ
WATER 80%	0.0	0	0.0	GAL	45	GAL
WATER 20%	0.0	0	0.0	GAL	0	GAL
ACCELERATOR	1.1	1.05	1.0	GAL	1.0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

5885

WATER HOT / COLD

TOTAL CEMENTICIOUS

1435

WATER ADDED _____

INITIAL _____

FIRST POUR

JB *JB*
AC *AC*

MIX DESIGN	#VALUE!	
FLY ASH	250	LBS/YD^3
CEMENT	725	LBS/YD^3
SAND	2500	LBS/YD^3
ROCK	0	LBS/YD^3
AIR	0.00	OZ/CWT
2000SCC	0.00	OZ/CWT
WATER	0.39	LBS/WT
ACCELERATOR	0	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

~~1.00~~

2.0

DATE:

8/19/2026

BATCH #:

Grout

ROCK MOISTURE

0.00%

SAND MOISTURE

1.75%

- TARGET +

ACTUAL

FLY ASH	250	250	260	LBS	440	LBS
CEMENT	725	725	750	LBS	1240	LBS
SAND	2495	2545	2595	LBS	4250	LBS
ROCK	0	0	0	LBS	0	LBS
AIR	0	0	0	OZ	0	OZ
2000SCC	0	0	0	OZ	0	OZ
WATER 80%	31.1	32	32.9	GAL	60	GAL
WATER 20%	7.8	8	8.2	GAL	0	GAL
ACCELERATOR	0.0	0.00	0.0	GAL	0	GAL
RETARDER	0.0	0.00	0.0	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

3520

WATER

HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

975

INITIAL

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2003	LBS
ROCK	2905	2960	LBS		2919	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

94 bushes
159.80 Yrds

MIX DESIGN

#VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2013	LBS
ROCK	2905	2960	LBS		2828	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN

#VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1088	LBS
SAND	0	0	LBS		2083	LBS
ROCK	2905	2960	LBS		2920	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		9	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1088	LBS
SAND	0	0	LBS		2112	LBS
ROCK	2905	2960	LBS		2930	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		2	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2107	LBS
ROCK	2905	2960	LBS		2932	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		2	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREYROCK MOISTURE **0.00%**SAND **1.75%**

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1098	LBS
SAND	0	0	LBS		2100	LBS
ROCK	2905	2960	LBS		2930	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		2104	LBS
ROCK	2905	2960	LBS		2880	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREYROCK MOISTURE **0.00%**SAND **1.75%**

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2104	LBS
ROCK	2905	2960	LBS		2920	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS	0	LBS
CEMENT	1090	1090	LBS	1086	LBS
SAND	0	0	LBS	2114	LBS
ROCK	2905	2960	LBS	2920	LBS
AIR	3.9	4	OZ	4	OZ
2000SCC	84.4	87	OZ	87	OZ
WATER 80%	0.0	0	GAL	45	GAL
WATER 20%	0.0	0	GAL	0	GAL
ACCELERATOR	0.0	1.00	GAL	0	GAL
RETARDER	0.0	0.00	OZ	0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1098	LBS
SAND	0	0	LBS		2113	LBS
ROCK	2905	2960	LBS		2951	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1098	LBS
SAND	0	0	LBS		2093	LBS
ROCK	2905	2960	LBS		2860	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1094	LBS
SAND	0	0	LBS		2097	LBS
ROCK	2905	2960	LBS		2949	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2109	LBS
ROCK	2905	2960	LBS		2916	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE	UNIT
FLY ASH	0	LBS/YD^3	
CEMENT	640	LBS/YD^3	
SAND	1260	LBS/YD^3	
ROCK	1740	LBS/YD^3	
AIR	0.42	OZ/CWT	
2000SCC	8.00	OZ/CWT	
WATER	0.42	LBS/WT	
ACCELERATOR	1	OZ/CWT	
RETARDER	0	OZ/CWT	

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		d	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2119	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		37	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2147	LBS
ROCK	2905	2960	LBS		2850	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

pink

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1028	LBS
SAND	0	0	LBS		2103	LBS
ROCK	2905	2960	LBS		2890	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		25	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2123	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2113	LBS
ROCK	2905	2960	LBS		2900	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2092	LBS
ROCK	2905	2960	LBS		2960	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2142	LBS
ROCK	2905	2960	LBS		2911	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		9	GAL
ACCELERATOR	0.0	1.00	GAL		9	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREYROCK MOISTURE **0.00%**SAND **1.75%**

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2083	LBS
ROCK	2905	2960	LBS		2960	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.0%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2123	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1088	LBS
SAND	0	0	LBS		2022	LBS
ROCK	2905	2960	LBS		2810	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN #VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1097	LBS
SAND	0	0	LBS		2103	LBS
ROCK	2905	2960	LBS		2220	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		25	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN #VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1090	LBS
SAND	0	0	LBS		2122	LBS
ROCK	2905	2960	LBS		2900	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN #VALUE!

FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1104	LBS
SAND	0	0	LBS		2114	LBS
ROCK	2905	2960	LBS		2829	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE

0.00%

SAND

1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1099	LBS
SAND	0	0	LBS		2082	LBS
ROCK	2905	2960	LBS		2801	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		10	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1096	LBS
SAND	0	0	LBS		2093	LBS
ROCK	2905	2960	LBS		2910	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

B

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1089	LBS
SAND	0	0	LBS		2024	LBS
ROCK	2905	2960	LBS		2822	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		82	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1069	LBS
SAND	0	0	LBS		2063	LBS
ROCK	2905	2960	LBS		2859	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75.%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1089	LBS
SAND	0	0	LBS		2125	LBS
ROCK	2905	2960	LBS		2889	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#VALUE!	
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREY

ROCK MOISTURE 0.00%

SAND 1.75%

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1099	LBS
SAND	0	0	LBS		2114	LBS
ROCK	2905	2960	LBS		2829	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		45	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		6	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED

TOTAL CEMENTICIOUS

1090

INITIAL

DOUBLE POURS & AFTER 10PM

MIX DESIGN	#	VALUE!
FLY ASH	0	LBS/YD^3
CEMENT	640	LBS/YD^3
SAND	1260	LBS/YD^3
ROCK	1740	LBS/YD^3
AIR	0.42	OZ/CWT
2000SCC	8.00	OZ/CWT
WATER	0.42	LBS/WT
ACCELERATOR	1	OZ/CWT
RETARDER	0	OZ/CWT

YARDS:

1.7

DATE:

8/19/2026

BATCH #:

GREYROCK MOISTURE **0.00%**SAND **1.75%**

FLY ASH	0	0	LBS		0	LBS
CEMENT	1090	1090	LBS		1143	LBS
SAND	0	0	LBS		1881	LBS
ROCK	2905	2960	LBS		2562	LBS
AIR	3.9	4	OZ		4	OZ
2000SCC	84.4	87	OZ		87	OZ
WATER 80%	0.0	0	GAL		1.5	GAL
WATER 20%	0.0	0	GAL		0	GAL
ACCELERATOR	0.0	1.00	GAL		1.0	GAL
RETARDER	0.0	0.00	OZ		0	OZ

TOTAL DRY BATCH WEIGHT

4050

WATER HOT / COLD

WATER ADDED _____

TOTAL CEMENTICIOUS

1090

INITIAL _____

DOUBLE POURS & AFTER 10PM